### **NEW TOOLS & GREAT SAVINGS FOR YOU!**

### TOOLS UNLIMITED

SUMMER 2011 E00123111 ISSUE #28

#### New 12 Ton Hydraulic Floor Shop Press

with Press Plates

### Install Bearings, Bushings and Seals / 1 Yr Warranty

Easily install bearings, seals, bushings and pulleys. Straighten axles, shafts and rods with our open front and back frame design.

- 12 Ton Hydraulic Floor Standing Shop Press • Floor Standing Open Front and Rear Design • 12 Ton Ram or 24000 LBS
- Spring Loaded Retracting Ram Carriage
- 3" 30" Adjustable Press Table 17" Working Width between uprights (2) 6" x 3.5" x 7/8" Steel Press Plates with triangular recesses Measures 53" x 21" x 22" and weights 92 Lbs This Item usually Ships UPS.

‡CFT12120DL (92)



SUNEX 1/2" COMPOSITE IMPACT PROMO #SX4345PR 1/2" AIR IMAPCT 750 ft. lbs. of quiet torque 1100 ft. lbs. of breakaway torque One hand forward/reverse - Weighs only 4.30 lbs. Promo valid: October 1st - December 31st FREE BOOT #SX4345BT 1/2" Dr. Impact **Wrench Boot** REE **IMPACT** #2652 14 Pc. Metric 1/2" **Dr.Standard Impact Socket Set** Sizes: 10, 11, 12, 13, 14, 15, 16, Retail Value \$76.86 17, 18, 19, 21, 22, 26, 27mm

Offer Expires January 31, 2012

### NEW TOOLS...













Call 1-800-537-1993 or visit www.to

www.toolsunlimited.com

### 1/2" COMPOSITE Air Impacts



NITROGEAT

1200 K

#### AIRTCAT

1/2" Composite Air Impact

1000 ft. lbs. Torque 200-800 Working Torque

- Only 4 lbs.

#AC1000TH


#### AIRICAT NITROSCAT

#### 1/2 " Kevlar Composite Impact Wrench

With Twin Clutch

A no non-sense, hard hitting 1/2" Impact wrench that out performs anything in it's class. The 1200-K is light weight, powerful and with it's Kevlar Composite housing extremely durable.. Used by many NHRA Top Fuel Race Teams.

- Most powerful 1/2" Impact on the market today
- 2 Year Warranty parts and labor



**Only 4.5 lbs** 

#### (IR) Ingersoll Rand

#### 1/2" Titanium Air Impact

- New feather touch trigger
- 2 vear warrantv

1100 lbs. of nut busting torque 780 lbs. torque in reverse 550 lbs. torque forward

#IR2135TiMAX

#### SUNEX 1/2" COMPOSITE IMPACT **PROMOTION**



One hand forward/reverse

- Weighs only 4.30 lbs.

Promo valid: October 1st - December 31st

#### FREE

### **BOOT**

#SX4345BT 1/2" Dr. Impact **Wrench Boot** 



#### FREE

#### IMPACT SOCKET SET

#2652

14 Pc. Metric 1/2" **Dr.Standard Impact Socket Set** 

Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26, 27mm

SUNEX 0 0 L S

**Retail Value** \$76.86

Offer Expires January 31, 2012

### 1/2" Air Impacts



#CP7620 (734H)



- 550 ft. lbs Torque



#### Air Impact 725 ft. lbs. Torque

- 6 Vane Twin Hammer Motor
- Triple heat treated alloy steel hammers - New modified design twin hammer mechanism eliminates lateral movement and vibration
- Complete with rubberized protective housing cover for added protection
- Bonded rubber grip insulates against cold temprature and vibration
- Steel Hammer case with double length screws
- Five Torque & Speed Settings

The only 1/2" Impact Designed to Operate at 125 psi Air Pressure



### LIGHT WEIGHT COMPOSITE 3/4" AIR IMPACTS





#IR2141 (9)

### 3/4" AIR IMPACTS



Chicago Pneumatic 3/4" Air Impact

Handle exhaust4 position power regulator

- 360 degrees swivel inlet - Retail \$629.00

- 1000 ft. lbs. Torque

#CP772H (12)

#### (IR) Ingersoll Rand **BRAND NEW** 3/4 " H.D. Impact 1050 ft lbs Torque

- 2 lbs lighter than most 3/4"

guns at 8.8 lbs

Delivers maximum torque in forward and reverse

Silenced rear exhaust

Variable speed triggerExtremely durable with a rocking

dog clutch system

#IR259 (12)

#### **NEW TOOL**

Chicago Pneumatic

#### 3/4" Industrial Air Impact

100% Magnesium HousingTwin Hammer Mechanism

Cushion Grip1217 ft lbs torque

Only 10.7 lbs

#CP8072 (15)

#### (IR) Ingersoll Rand

#### Super Duty 3/4" Air Impact

A 3/4" gun with the power of a 1" gunRetail \$783.001100 ft. lbs. Torque

#IR261 (18)







- Combined Reverse w/ power management in both

- Forward and reverse increases control

- Unique Low Wear Pin-less Hammer Design

- Precision Engineered Motor w/ Stainless Steel Gasket And German Engineered Rotor Blade Technology

1800 ft lbs Torque



1" Air Impact

- Retail \$929.95
- 1770 ft. lbs. Torque
- Tune Up Kit \$89.95

#IR285-B6 (32)

### 000 Chicago Pneumatic Silver Bullet 1" Air Impact - 6 Vane motor

Florida

Factory Special Offer

1" High Torque Air Impact

- Three position regulator

- Bottom exhausr

- 1450 ft. lbs. Torque

Chicago Pneumatic

- 1400 ft. lbs. Torque

900 #CP7640-6 (797-6) (41)

**'900** #CP7778-6 (32)



2300 ft. lbs. Torque

### 1" Pistol Grip Air Impacts



#### 1" Super Duty Pistol Grip Impact

- 3 position power regulator
- Retaining ring and hog ring
- Only 22 lbs
- Handle exhaust
- Cushioned rubber no-slip handle
- Extremely durable
- 1 year warranty
- 1750 ft. lbs. Torque

**85** #CP7774 (25)

#### (IR) Ingersoll Rand

#### 1" Pistol Grip Impact

- List \$949.99
- 1770 FT. LBS. TORQUE

#IR295A (27)



#### 1" Pistol Grip Air Impact

- List \$2999.00
- 2000 ft. lbs. Torque



#### 1" Impact Accessories



#### Impact Adapter

- 1" Female - 3/4" Male


\$22<sup>75</sup> #SX5303 (3)



#### Impact Extension

– 1" Drive – 6" long

\$29<sup>95</sup> #SX5300 (1-1/2)



#### Composite Light Weight 1" Impacts Florida Pneumatic Fleet 1" Impact - 1800 ft lbs torque - 8" Anvil for longer reach - Twin hammer mechanism - Compare with Snap-On IM-1800 or IR2190Ti-6 \$679<sup>00</sup> #FP795L (18) ONLY 16 lbs. (IR) Ingersoll Rand. **NEW Titanium 1" Impact** - 3 position regulator in forward - Full power in reverse - Designed for waist usage eliminating, back, arm and wrist strain - 1600 ft. lbs. Torque ONLY 15-1/2 lbs.



#### **Bud Wheel Socket**

#IR2190TI-6 (18)

- 1-1/2 Hex x 1-13/16 Sq Budd

\$29<sup>95</sup>#SX5826C (4)



#### Air Hose for 1" Gun

- 50' length

\$58<sup>00</sup> #1010 (11)

### Air Ratchets



#### 1/4" Air Ratchet

- Smaller Head
- Longer Reach
- 220 RPMS

- 15 ft. lbs. Torque **\$89**00 #CP824 (2) Chicago Pneumatic

#### 3/8ths Air Ratchet

- 1/2 HP motor - 150 RPMS
- 600 - 50 ft. lbs. Torque

#CP886 (4) 1/2" Ratchet #CP886H \$8995



#### (IR) Ingersoll Rand

- 3/8ths Air Ratchet - 360° Adjustable Exhaust
- 160 RPMS
- Variable speed throttle
- 50 FT LBS TORQUE

#IR107XPA (4)



#### 3/8ths High Torque Air Ratchet

- 180 RPMS
- Super quiet

- 90 ft. lbs. Torque #ACR802R (4)



#### 1/2" High Torque Air Ratchet

- 15" long - 3-1/4" lbs. - **90 ft. lbs. torque** \$169<sup>85</sup> #MSIS90735 (4)

### 3/8" AIR IMPACTS

### 3/8" Palm Grip Air Impacts





#### 3/8ths Heavy Duty Palm Grip Impact

70 ft. lbs Torque

#MP136E (4)



- Air inlet swivels 360°
- 70 ft. lbs Torque

800 #CP7722 (4)

### 3/8" COMPOSITE AIR IMPACTS

#### AVRICAT AIRCAT

3/8" Composite Air Impact

Powerful, Small, Quiet Technology. 500 ft. lbs. Loosening Torque 50-350 Working Torque

#AC1300TH

#### (IR) Ingersoll Rand.

#### TNT Titanium "N" Torque

Small, lightweight, with titanium hammer case.

300 ft. lbs. Ultimate Torque 250 ft. lbs Forward 280 ft. lbs. Reverse

#IR2115TiMAX (5)





#### Air Tool Oiler

- Easy Maintenance of all air tools Easy to use with adjustable oil nozzle • Unique self centering, non drip oil dispenser head
- Works with all models of air tools Saves you money by increasing life of air tools instead of premature failure . Can easily be adjusted for right or left handed or center mounting positions on a toolbox or wall • 8 oz translucent shatter resistant oil reservoir
- Adjustable knob on dispenser head can adjust oil flow .05cc or approx one drop per turn up to 4 drops. • ULR for video on the internet: http://www.steckmfg.com/video/ AirToolOiler\_video.html.

#SS16600

### 3/8" Pistol Grip Air Impacts



Grip Air Impact

- Perfectly balanced – Built in áir regulator

75 FT. LBS TORQUE

#MP135BT (4)



- 360° swivel eliminates twisted or kinked hose
- Tease throttle
- 4 power settings - Retail \$243.00
- 200 FT. LBS TORQUE

#CP724H (4)



(IR) Ingersoll Rand. 3/8ths High Torque Impact

- Handle Exhaust
- 180 lbs torque

180 FT. LBS TORQUE

#IR212 (7)

### 1/4" Air Die Grinders





#### 1/4 " Mini Die Grinder

25,000 rpm 1/3 h.p. motor 4-3/4" long Front exhaust

#MP1205 (2)





#### 1/4" Air Die Grinder

- 22,000 RPMS
- Rear exhaust
- Limited Quantity!

#MPT210 (3)



#### 1/4" Air Die Grinder

- 20,000 RPMS
- 1/2 HP motor

58<sup>00</sup> #FP3751FE (2)





#### 1/4" Air Die Grinder

- 1/3 HP Motor
- 22,000 RPMS



#### 1/4" Air Die Grinder

- Comfort grip
- Built-in speed regulator
- Rear exhaust
- 5-1/2" long
- 22,000 RPMS

#Si5054A



### Chicago Pneumatic

#### 1/4" Air Die Grinder

- Rear exhaust
- Regular Retail \$150.00
- 24,000 RPMS
- FULL 1/2 H.P.



#### Heavy Duty 1/4" Extended Shaft Die Grinder

- 13" long

Super Heavy Duty!

- Lever throttle for positive speed control
- Rear exhaust
- 7" extension for deep porting
- Full Size with more power than smaller units

#MP1212 (3)

#### 1/8" Pencil Die Grinders





- 56,000 RPMS - 5-1/2 foot exhaust hose

#MP218 (1)



- 54.000 RPMS
- Twist throttle, built in speed regulator
- 5 foot hose with protector
- remote exhaust

Solid Carbide Burrs With 1/4" Shanks

YOUR CHOICE



Model Head Length Number Diamater Of Cut #IR15A #IR17A #IR17A #IR18A #IR20A #IR21A



1/4 to 1/8 Collet Adapter Reducer For use with any die grinder #MP27B

### 1/4" Air Angle Die Grinders





#### 1/4" Angle Air Die Grinder

- 20,000 RPMS
- Independent power regulator
- Variable speed throttle

#MPT20AH (2)



#### 1/4" Angle Air Die Grinder

- 1/4 H.P. motor
- 22,000 RPM built in regulator
- Includes 1/4 and 6mm collet
- Lock off throttle.
- 20,000 RPMS

#CP875A (2)



#### 1/4" Angle Air Die Grinder

- Comfort grip
- Built-in speed regulator
- Rear Exhaust
- 5-1/2" long
- 22,000 RPMS

#Si5055A (2)



#### (IR) Ingersoll Rand

1/4" Angle Air Die Grinder

- 18,000 RPMS
- Self locking throttle lever









000 #CP789R-2600



100 #SiSDR10P26N3 (5)



#IR7802RA (4)



#### 1/2" Reversible Air Drill Heavy Duty

- One hand reverse lever
- Side handle for conrtol Variable speed conrtol
- Handle exhaust with muffler
- 500 RPMS

#MP527C (4)



- .5 H.P. motor
- Performance rating Heavy Duty
- Variable speed throttle
- 400 RPMS

**2**00 #IR7803RA (4)



- Handle exhaust
- Tease throttle
- Industrial chuck
- Contoured handle with comfort grip
- 500 RPMS

#CP789HR (5)





#### 3/8" Reversible Angle Drill

- 2 Gear drive system - Overall length 8-1/4"
- 1/2 HP Motor
- 1800 RPMS

#MP510AHT (4)



### Chicago Pneumatic

#### 3/8" Reversible Air Drill

- Tease Trigger
- Rear Exhaust
- Low Head profile 3-1/2
- 1/3 HP Motor
- 1700 RPMS

#CP879 (4)

#### Air Drill Accessories



#### Premium Air Tool Oil

• 1 Quart (32 oz.) \$ **7**95 #OL1 (3)



#### Teflon Thread Seal Tape

• 1/2" x 520" • Polyetraflouro ethylene "PTFE" tape • Used for sealing threaded connections on pipe "plumbing".

\$499<sub>#1261 (1)</sub> 10 Per Pack



#### 1/4" NPT 360° Swivel Connectors

• No more twisted air hose • Revolves 360° in two places • Keeps hose straight no matter how the tool is held • Relieves operator fatigue • Not to be used on precussion tools • 6 oz. \$**Q**75

#MP3SB-10

### Air Screwdrivers





- Free speed 1800

- Length: 10-1/8"-1/4" hex drive

- Adjustable Clutch

- Reversible

- 45 to 115 in. lbs. Torque

#MP800TA (5)

### Air Chisels/Hammers



2100 BPM Chicago Pneumatic Heavy Duty Air Chisel - 3-1/2 Stroke - Longer stroke means more power

#CP7150



cutting, bushing, driving, shearing and gen eral front end work with this air hammer

– A super duty tool that produces up to 3,000 blows per minute

Professional touch trigger for total control.

#IR121Q (5)

Spring #AJ8971R......\$6.95





(#CP715)

#CP714 (5)

\$16.95

\$16.95

\$14.95

\$15.95

\$16.95

\$22.95

- USA MADE

#### .498 SHANK HAMMERS



Tease Trigger for Control
 Great for King Pins and extra heavy duty work

#FP660A (6)



#CP717K (12)

### Air Chisel Accessories

#A.I961

#AJ967





#### #AJ896 Spring 5/8 Flat Chisel #AJ960 #AJ962 Rivet Cutter #AJ963 Straight Punch Double Panel Cutter #AJ909

Tapered Punch

1" Diameter



#AJ905	Scraper Chisel 1-5/16" Wide	\$13.95
#AJ907	Panel Ripper	\$13.95
#AJ910	Flat Chisel 3/4" Wide	\$11.85
#AJ91018	18" Long Flat Chisel 1-5/16" Wide	\$24.95
#AJ911	Tapered Punch	\$12.95
#A 1040	Divot Cutton	\$42 OF



#### 9 Piece Chisel Set

Long blade pannel cutter, special pannel cutter, bushing splitter tool, weld rivet cutter, muffler removal tool, cut off chisel, ripping chisel, tapered punch and weld buster

2000 BPM

\$ 1 9<sup>95</sup> #MTACS-9 (4)



401 Shank - Chisel 1-9/16 Wide Cold Chisel x 7". Beveled on both sides \$**Q**95

#SXAC04





Ajax Beehive Springs .401 Shank Type

\$ 595 #AJ895 .498 Shank Type \***7**<sup>75</sup> #AJ898

Quick Change Retainer "Safety Chuck"

\$**14**<sup>95</sup>#AD33001 (1)





Air Chisel Springs \$395 #SG94000



#### Air Needle Scalers



#### Air Needle Scaler

- 1-1/8 stroke
- 1 bore
- 4600 Blows Per Minute

19 Piece Needle Set #834024 Retainer Clips #SXRS730222

\$10<sup>95</sup> \$**5**95

#### \$20.00 Mail-In Rebate OOD THROUGH NOVEMBER 2011



#### Industrial Air Needle Scaler

- 4600 Blows Per Minute

#CP7120 (8)

### (IR) Ingersoll Rand Air Needle Scaler

- For surface preperation work involving the cleaning or removal of paint, rust,
- dirt, or weld slag 4600 Blows Per Minute

#IR125

19 Piece Needle Set #834024  $^{\$}10^{95}$ 

### Air Sanders







#### **Dual Action Quiet** Sander - 6" Pad

- A built-in silencer muffles noise
- Its dual action pad motion produces swirl-free finishes
- Vibration free
- Adjustable built-in regulator for positive speed control
- 10,000 rpms

#IR311A (5)

5" D/A Pad. #MP4605......**\$10.95** 6" D/A Pad. #MP4608......\$12.95



#### 📶 NATIONAL DETROIT

**USA Made** 

#### **Dual Action Air Sander**

- Unique design has the pad always changing plane so the abrasive does not "load up" and heat is minimized. Result, scratch free finish, longer abrasive life, and no hand sanding.
- 10,000 rpms
- Only 4lbs.
- Reqiuires les air, 60 psi.
- Extra guiet and meats OSHA noise levels

#NDDAQ-6 (5)



Florida Pneumatic

#### 6" D/A Palm Grip Sander

- 10,000 RPMS
- Orbital action assures swirl free finish
- 3/16 Orbit

#FP874 (4)

6" D/A Pad. #MP4608......**\$12.95** 



Chicago Pneumatic

- 10,000 RPMS

- 6" pad

D/A Air Sander



#CP870 (5) 5" D/A Pad. #MP4605......**\$10.95** 

6" D/A Pad. #MP4608......**\$12.95** 



#### Industrial Random Orbital Palm Sander

- 12,000 RPMS
- Weighs less than 2 lbs
- Vacuum readyLow vibration
- Swirl free finish - 360° rear exhaust
- One year warranty

#IR4151 (5)



#### 7" Angle Sander

- 5000 RPMS
- Rear Exhaust Built-in air regulator
- 1 HP Motor
- Retail \$350.00

#CP7269S

#### Michigan Pneumatic

#### 7" Sander

- 4500 RPMS
- Powerful 1H.P. motor
- Beveled gears and ball bearing construction
- -5/8 x 11 spindle
- 12-3/4" long and only 4.75 lbs.

# Air Polishers & Files Chicago Pneumatic

- 7" Air Polisher
- Large Heavy Duty 1 H.P. motor
- Hardened and ground spiral bevel gears
  Built in air regulator adjusts speeds



(IR) Ingersoll Rand. Heavy Duty Twin Piston Straight Line Air Sander

- 3000 strokes per minute
- Twin piston for extra power
- 2-3/4" x 17-1/2"





Air Tool Oiler \$5900 #SS16600

• Easy Maintenance of all air tools • Easy to use with adjustable oil nozzle • Unique self centering, non drip oil dispenser head • Works with all models of air tools • Saves you money by increasing life of air tools instead of premature failure . Can easily be adjusted for right or left handed or center

mounting positions on a toolbox or wall • 8 oz translucent shatter resistant oil reservoir • Adjustable knob on dispenser head can adjust oil flow .05cc or approx one drop per \_ turn up to 4 drops. • ULR for video on the internet:

http://www.steckmfg.com/video/AirToolOiler\_video.html.



Sander & Grinder Accessories

#### Surface Preparation Disc's

2" Diameter #MEC3912 - Coarse/Brown #MEC3912 - Medium/Maroon

50 Per Bag

3" Diameter #MEC3913 - Coarse/Brown #MEC3913 - Medium/Maroon

25 Per Bag

### Adapters

Designed for use with die grinders ideal for surface metal applications like removing gaskets, preparing surfaces to accept paint etc., 1 lb.

#AP2ROH. 2" Adapter

#AP3ROH. 3" Adapter



\$**6**99

\$ **7**99

#### 7" Grinding Wheels

Spin on depressed center 5/8 x 11" thread, aluminum oxide max. 8.750 rpms • 1-1/2 lb.

**\$4**95 <sub>#DC7020HT</sub>

### Air Belt Sander



#### 6" D/A Self Stick Paper On Rolls - 100 Disc Per Box

- Anticlog • No load



Descripti	on	Part No.	We	ight	Sale
80 Grit	#A	LPSAG60	800	[3]	\$33.95
150 Grit	#A	LPSAG61	500	[3]	\$26.95
180 Grit	#A	LPSAG61	800	[3]	\$26.95
240 Grit	#A	LPSAG62	400	[3]	\$27.95
320 Grit	#A	LPSAG63	200	[3]	\$27.95

### AIR ANGLE GRINDERS



Industrial 4" Air Angle Grinder

11,000 RPMS

#SX211A (5)





- 4" Angle Grinder
- Retail \$407.0012.000 RPMS

#CP9120CR (#CP854) (5)



- 5" Angle Grinder
- 12,000 RPMS
- 5/8 X 11 spindle Powerful .7 H.P. Motor
- Spiral bevel gears

#CP9121BR (4)









### Miscellaneous AirTools



• As a sealant cutter, cuts around bonded an encapsulated glass • Efficiently cleans and smooths moulding after glass removal • Teasing throttle and regulator provides easy speed control • Flexible blade mount can be positioned in 12 different ways (at 30° increments) • Rear exhaust directs air away from work

#### Blades included with tool:

- (2) 57mm Bent Blades
- (1) 90mm Round Nose Straight Blade
- (1) 52mm Bent Curved Blade
- (1) 35mm Flat-Nose Straight Blade

#MPWINDKO (3)

#### **BLADES** #6022L LEFT \$18.95 #6022R RIGHT \$18.95 CENTER \$21.95 #6021

5 SUNEX

#### 18 Gauge Air Shear

- Cuts up to 18 gauage mild steel
- Muffled handle exhaust for quiet operation
- Planetary cage gearing for heavy duty use

#SX227B (5)



#### 5 SUNEX 18 Gauge Air Nibbler

- Cuts up to 18 gauage rolled steel without distortion

- Cuts tight 1/4" radius with accuracy.

#SX229B (3)

### **Miscellaneous** Air & Electric **Tools**



**NEW IMPROVED MODEL!** 

### Chicago Pneumatic

#### Reciprocating Saw

- Adjustable guide for setting depth of cut
- Rear exhaust
- Ergonomic design
- Includes: 3 blades 24, 28 & 32 teeth
- 10,000 SPM

#CP7900 (2)

#MP10SAW 10 Saw Blades \$1495



#### Sunex Super Heavy Duty Low Vibration Air Saw

- 10,000 strokes per minute
- Adjustable Guard to set depth
- Lockiing throttle
- Shock Reduction reduces hand fatigue during usage
- Chemical Resistant Rubber Grip
- Adjustable exhaust
- Only 6.7" long

1/4" Vaccum Assist Heavy Duty Mono

- Sets the following up to 1/4" - Conventional standard blind rivets

**Bolt Riveter** 

- Structural blind rivets - Mono bolts - T-rivets

- 3960 lbs of pulling power #SX1819TV (11)

Spare Jaw Set #SXRS819303 \$2995

HAND RIVETERS

Milwaukee Pneumatic

With 3pc Metric and 3pc SAE Mandrel/Nosepiece Sets and Rivet Nut Assortment

00 #SX6215 (1.5)

### 





#### 3/16" Heavy Duty Air Riveter

- Nose pieces 3/16, 5/32, 1/8, 3/32"
- Quick release air valve
- Performs well at any angle

only **\$89**95 #MPPR36 (9)

#MPPR36-04 Spare Jaw Set \$1495

#### 1/4" Heavy Duty Air Riveter

- Nose pieces 1/4, 3/16, 5/32, 1/8, 3/32"
- Quick release air valve
- Performs well at any angle

3/16" Air Riveter

Designed for high speed

and easy maintenance

- Trouble free riveting

- 1000 lb. pulling force

- Reconditioned like new

3/16 Jaw #HEPRG402-8A \$1895

- Standard deflector

#MPPR14 (11)

#HEPRG510R (6)

#MPPR14-04 Spare Jaw Set  $^{\$}19^{95}$ 

### **FAR**

3/16" Air Riveter

- Sizes 3/32", 1/8", 5/32", 3/16" in all metals

\$139<sup>95</sup> #RAC155 (6)

#### 1/4" Air Riveter

- Sizes 3/32", 1/8", 5/32", 3/16" 1/4" in all metals NOW

\$29500

#RAC161CC (6)

**SPARE JAWS** RAC155 #20007

RAC161CC #50007A 3/16

\$18.99 #50007 1/4

\$18.99

\$19.99

### POP

#### 1/4" Air Riveter

Heavy duty mass production!

- Efficient riveting - Standard mandrel
- deflector
- Reconditioned Like NEW

3/16 Jaws #PRG540-46 \$1995 3/16 Jaws #PRG540-44 \$1995

only

#HEPRG540R (7)



13" Nut/Thread Setting Hand Riveter Kit

• Patented structure increases power and reduces shock • Shorter handle with double compound hinges thatmaximize leverage • Includes Hand Nut/Thread Setting Riveter • 6 interchangeable



 $\bullet$  Extra long handle for leverage  $\bullet$  5 nosepieces -1/8, 5/32, 3/16, 7/32, & 1/4 • Tool length 20-3/4 #MP1426 (6)

Without Vaccum Assist \$36900

11

POP

production!

- 5/8" stroke

### Spray Guns & Accessories



#### FACTORY SPECIAL!



#### 2-1/4 Gallon **Pressure Tank** With Spray Gun & 12 ft. Hose

- 1.0 Nozzle
- Pressure gauge and fluid pressure regulator
- 12 ft. twin set of hose
- Pressure 60 psi
- Requires 3 hp compressor
- Great for large areas, buses, vans, trucks.

#MPPT2-4GH (25)



STANT **Cooling System &** Cap PressureTester

Now test higher pressure cooling systems and pressure caps found in Audi, BMW, Mercedes, Volkswagen, ect. up to 30 lbs. New head design incoporates a pressure release bar. Also three new cap testing ranges 18 pounds, 20 pounds and 30 pounds. Accurate color-coded gauge. Instruction manual, a spacer for testing 1" deep filler necks, a cap adapter for 3/4" deep caps.



### Titan HVLP Gravity Feed Spray Gun

With Regulator

- Locking pressure regulator with gauge
- Stainless steel needle
- 600cc plastic paint cup
- 1 4 Nozzle

#### Spray Gun

- Fully adjustable pattern control
- Maximum trigger control Fluid & air delivery are fully

### Welding Equipment

**Auto Darkening** Deluxe Welding Helmet



Automatically changes filter screen from clear to dark in 1/25,000 sec. • Variable shade adjustment Din 9-13 • German lensUv11R protection up to din 16 • Operator can adjust time from dark to clear • Automatic on/off - no button • Window 98mm x 44mm • Uses high performance solar cells as power supply and has 2 built in 3V lithium batteries as power backup • Meets ANSI standards One year warranty



### Air Tool Accessories



#### TOOL AID

#### **Auto Oiler**

\$**9**95

 Fills all air tools except 1" drive • Stop rust and increase torque up to 25%

4" Wire Cup Brush

• 5/8"x11" thread • Fits most 7" to 9" air or electric grinders •10,000 RPMS Max.

#APWB15

Premium Air Tool Oil

\$15<sup>95</sup>#SG98500 (.5)



#### 1/4" Regulator Shipping weight 8 oz.

\$395 <sub>#MT98000 (.4)</sub>

### 1/4" Regulator With Pressure Gauge

0-160 PSI8 oz. shipping weight

\$9<sup>75</sup>#MT98300 (1)

#### Teflon Thread Seal Tape

• 1/2" x 520" • Polyetraflouro ethylene "PTFE" tape • Used for sealing threaded connections on pipe "plumbing".

\$499 #1261 (1) 10 Per Pack



#### 1/4" NPT 360° Swivel Connectors

No more twisted air hose • Revolves 360° in two places • Keeps hose straight no matter how the tool is held • Relieves operator fatigue • Not to be used on precussion tools • 6 oz.

\$**9**75 <sub>#MP3SB-10</sub>



#### Couplers & Plugs Male Couplers #MI716BK Air Couplers

Milton "M" Style

Plugs

Plugs - Female

#MI715BK #MI727RK #MI728BK

Box of 10 Box of 10 Box of 25 Box of 25

\$39.95 \$24.95 \$24.95

\$39.50

1/2" Impacts "P" Style \$**8**95 #MI1803. Coupler \$ **1** 95 #MI1809. Plugs

3/4" Impacts "G" Style \$11<sup>25</sup> #MI1813. Coupler



\$**7**95 #MI1819. Plugs

1" Impacts "G" Style Use with 1/2" hose with 1/2" fittings \$**3**50 #MI1817. Plugs \$11<sup>50</sup> #MI1815. Coupler



#### Air Blow Gun

\$ **7**95 <sub>#OL1 (3)</sub>



#### Chucks & Keys

• 3/8 - 24 thread #MP5103435 3/8ths #MP5304445 1/2" \$1195 • 3/8 - 24 thread #MP5304445 1/2"



#### Air Control Units

### MILTON

#### Air Filters

- With automatic overnight drain
- 3/8 NPT
- 5 oz. bowl

#MI10198 (2)

#MI1120-8 1/2 NPT 9 oz. Bowl  $^{\$}67^{50}$ 





### Air Filtration System 120 cfm Filter & Regulator in One

- Remove water, oil and containments
- Easy reusable/replacement in line filter - Drain valve designed to empty filters
- without dissemble Modular setup for future upgrades
- with other STAR air filtration systems
- Air inlet/outlet 1/2" NPT
- Regulator capacity 50 CFM
- Filter capacity 120 CFM.





#### Service Gauage - 10 to 160 lbs.

- Easy to read Nylon Indicator Bar
- Calibrated two sides from 10 to 160 lbs in 2 lb units and two sides from 80 to 1100 kilo pascals in 20 kPa units...red marker

  – Meets OSHA requirements

 $8^{50}$ 





#### Compact Safety Lever Blo-gun

- Safety nozzle, and a non-safety rubber tip nozzle.
- Safety tip SCFM 11.7@100 psi
- Non-safety tip SCFM 12.9@100 psi

\$ **7**95<sub>#MIS-148</sub>

Milton Tools



#### Tire Inflator

Magnifying lens allows full view of scale 10 to 120 lbs.

#MIS506 (2)

#### Air Hose & Reels



#### GOOD YEAR

#### 250 LB. Max Working Pressure Black Rubber Hose

- 3/8" hose with 1/4" fittings

#AH25 25ft.

*\$21*95 (4.5)

#AH50 50ft.

**\$29**95



#### GOOD FYEAR

#### Oil Resistant Air Hose-PVC

- Max working pressure 300 PSI 3/8 ID w/1/4"
- Brass fittings, oil, gas ozone resistant

(8.5)

#GY50A 50ft. Blue

(6) \$39<sup>99</sup>



#### GOOD FYEAR

#### Industrial Yellow Air Hose

- 300PSI
- 4 Spiral
- Oil restraint
- 3/8" hose with 1/4" fittings

#YELLOW25 25ft. 4 lbs. (6)

**\$29**50

#YELLOW50 50ft. 8 lbs. (11)  $\,^{\$48^{50}}$ 



#### 50 ft. 1/2" Diameter Hose

3/8 Fittings, 1/2" I.D. #011028 For 3/4" Impacts (14) \$4950

1/2 Fittings, 1/2" I.D.

#1010 For 1" Impacts

(14)  $58^{00}$ 



#### GOOD YEAR

#### 50 Ft Industrial Spring Driven Hose Reels

- Goodyear USA made heavy duty rubber hose
- 250 lb working pressure
- exceeds 4:1 safety factor
- Oil and abrasive resistant
- Dual Arm 4 roller hose guide
- 12 position ratchet gearing
- 2 year warranty

#MT46731 3/8" 50 ft. (42) \$17900

#MT46741 1/2" 50 ft. (55) \$218<sup>00</sup>

#### 50 Ft. Heavy Duty Spring Driven Hose Reels

#MT4678 3/8" 50 ft. (45) \$119<sup>95</sup> #MT4679 1/2" 50 ft. (56)  $\$\bar{1}\bar{3}\bar{9}^{95}$ 



#### 3 Ft. Whip Hose With Swivel

- Swivel makes it easier on the operators wrist!
- 3/8" hose with 1/4" fittings

#141667F (1)

USA Made

### Impact Hex & Torx (Star) Driver Sets



3/8 Drive 7 Piece Hex Driver Impact Socket Set

#SX3647 SAE: 3/16, 7/32, 1/4, 5/16, 3/8, 7/16 & 1/2" #SX3648 Metric: 4, 5, 6, 7, 8, 10, & 12 mm

1/2 " Drive 10 Piece Hex Driver Impact Socket Set

#SX2638 SAE 1/4, 9/32, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" #SX2639 Metric 6, 7, 8, 10, 12, 14, 15, 17, 18, & 19 mm

Your Choice (3)



12 Pc Star (torx) Impact Socket Set

• 1/4", 3/8", & 1/2" Drive Internal • 1/4" Dr. T10, 15, 20, 25, 27, 30 • 3/8" Dr. T40, 45, 47, 50, 55 • 1/2 "Dr. - T60

#SX1820S (2)

### Truck Wheel Bearing Locknuts



Each of these sockets has 3/4" square drive opening, permiting the use of an extension and torque wrench to tighten the locknut as required • Sockets are made of high-strength steel and the openings resist rounding out . Measure from flat to flat on locknut to determine size of socket • Warranty is void if tool is subjected to impact wrench use

	int Soc			int Sock	
PART NO.	OPENING	PRICE	PART NO.	OPENING	PRICE
OT1901	2-3/32"	\$25.95	OT1903	2-3/8"	\$25.95
OT1902	2-3/8"	\$25.95	OT1905	2-9/16"	\$25.95
OT1904	2-9/16"	\$25.95	OT1907	3"	\$25.95
OT1906	3"	\$25.95	OT1909	3-1/4"	\$25.95
OT1908	3-1/4"	\$25.95	OT1911	3-1/2"	\$25.95
OT1910	3-1/2"	<sup>\$</sup> 25.95	OT1913	3-7/8"	<sup>\$</sup> 27.95
OT1912	3-7/8"	\$28.95	OT1917	4-3/8"	\$36.95
OT1914	4"	\$28.95	OT1919	4-7/8"	§39.95
OT1915	4-1/8"	\$28.95	OT1924	3-3/8"	<sup>\$</sup> 25.95
OT1916	4-3/8"	\$43.95	OT1925	3-3/4"	\$26.95
OT1920	2-1/4"	\$25.95	OT1927	3-13/16"	\$27.95
OT1921	2-1/2"	\$25.95	OT1933	2-7/8"	<sup>\$</sup> 27.95
OT1922	2-5/8"	\$25.95	OT1935	3-1/8"	\$27.95
OT1923	2-3/4"	\$25.95	OT1937	2-3/4"	\$27.95
OT1926	3-3/4"	\$27.95	OT1938	4-1/2"	§42.95
OT1928*	2-9/16"	\$25.95	OT1940	4-1/8"	§42.95
OT1932	2-7/8"	\$25.95	OT1941	4-13/16"	\$49.95
OT1934	3-1/8"	\$28.95	(Me	etric Availab	le)
OT1936*	2-3/8"	\$28.95			
OT1939	5-1/4"	s46.95			
* Eita anagial	rounded He	Nuto on fou	nd on Done A	ylon of nome	Ford Trucks

<sup>\*</sup> Fits special rounded Hex Nuts as found on Dana Axles of some Ford Trucks

#### VIRTUALLY UNBREAKABLE **SUNEX SUPER** REDUCERS SET



#### 3 Piece Super Reducers Set

- Brand new virtually unbreakable Super Reducers
- Backed by a lifetime warranty
  Sizes: 1/2 x 3/8", 3/8" x 1/4", 3/4" x 1/2 "

### Impact Adapters & Extensions



#### 3 Piece Extension Set

#MT4966 3/8th Set - 3", 6", 8" \$875 #MT4971 1/2" Set - 3", 6", 8" \$12<sup>75</sup>



#### Extensions

\$**6**95 #SX3503 3/8" Drive 3" Extension \$**7**95 #SX2503 1/2" Drive 3" Extension \$**21**95 #SX2510 1/2" Drive 10" Extension \$**21**95 #SX4302 3/4" Drive 6" Extension 1lb. \$**29**99 #SX4310 3/4" Drive 10" Extension 1lb. \$**34**<sup>75</sup> #SX4313 3/4" Drive 13" Extension 5lb.

#SX5300 1" Drive 6" Long 1-1/2 lb.

#### 3 Piece Reducer Set

- 3/8 Drive to 1/4 - 1/2 Drive to 3/8 - 3/4 Drive to 1/2



#### 3 Piece Impact Adapter Set

- 1/4 Drive to 3/8 male - 3/8 Drive to 1/2 Male

- 1/2 Drive to 3/4 Male - 1 lb.



\$**29**<sup>95</sup>



#### Universal Impact Sockets

#SX1800 1/4" **\$9**95

#SX3301 3/8" \$**14**75

#SX2300 1/2" \$17<sup>95</sup>



#### Adapters

#SX2301 1/2" Female x 3/8" Male 1lb #SX2302 1/2" Female x 3/4" Male 1lb #SX4301 3/4" Female x 1/2" Male 1lb

#SX5303 1" Female x 3/4" Male 3lb #SX4300 3/4" Female x 1" Male 3lb



\$19<sup>75</sup>



### Specials Purchase!



Deep Socket Set \$4650

#MT4886

#### 1/2" Drive Shallow Jumbo Impact Sockets

• 6-Point, Beveled-Nose Sockets • Hole on Socket Locks on to Drive Tang • Meets or Exceeds ANSI Specifications • Opti-Drive™ Socket Design Contacts Only Flat Surfaces of Fastener Head to Eliminate Rounding Off Corners • 5-pc 1-3/16", 1-5/16", 1-3/8", 1-7/16", 1-1/2" • Storage Case



#### 3/4" Drive Over 2" Impact Sockets 8 Piece Shallow Set

2-1/16, 2-1/8, 2-3/16, 2-1/4, 2-5/16. 2-3/8, 2-7/16, 2-1/2"

### SUNEX Master Socket Sets

#### 3/8" Master Socket Sets



#### 25 & 29 Pc.Master 3/8 Dr. Socket Set

25 Pc.SAE #SX3325 - 12 Standard & 12 Deep Sockets: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", Universal Joint

29 Pc. METRIC #SX3329 - 14 Standard & 14 Deep Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm,

Your Choice

#### 1/2" Master Socket Sets

1/2 Dr. 39 pc Master Socket Set

SAE - 19 Standard & 19 Deep Sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-13/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2", Universal Joint

\$178<sup>00</sup># #SX2668

METRIC - 19 Standard & 19 Deep Sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 30 mm, Universal Joint

\$148<sup>00</sup> #SX2669



#### 28 pc Master 3/8 Dr. Deep Socket Set

• 12 Deep SAE Sockets: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1" • 14 Deep Metric Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm • 1/2" (F) x 3/8" (M) Adapter

\$98<sup>00</sup>#SX3360DD



#### 1/2 Dr. 29pc Master Deep Socket Set

13 Deep SAE: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-1/4" 14 Deep METRIC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26, 27 mm (2) Deep Flip Sockets: 3/4 x 3/16 & 19mm x 21mm

\$129<sup>00</sup>#

#### 3/4" Master Socket Sets

#### 3/4 Drive 17 Pc Master Socket Set



17 Metric Sockets #SX4684: 26 to 30mm, 32, 33, 35, 36, 38, 40 to 46 mm

259°0 Your Choice



#### 3/4 Drive 8pc Deep Socket Set

8 Deep Sockets: 1", 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16,

\$8900 #SX4681



#### 3/4 Drive 11pc Truck Service Set

10 Standard Sockets: 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-1/2" 1 Square: 13/16

\$8900

#### Master Socket Sets

#### 1" Drive 9 Piece Socket Set

9 Standard Sockets: 1, 1-1/8, 1-1/4, 1-3/8", 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

 $$109^{00}$_{$SX5699}$ 



#### 1" Drive 10 Piece Tire Set

• 4 Deep: 1, 1-3/16, 1-3/4, & 33mm • 3 Deep Thin Wall: 1-1/16, 1-1/8, 1-1/4" • 2 Square: 13/16 & 15/16" • Controlled Depth Socket: 1-1/2"

\$169<sup>00</sup> #SX5690A





### **Deep Well Impact Socket Sets**

3/8" Drive 8 Piece Deepwell Sets

Your Choice \$15<sup>95</sup> #MTP38DS - SAE, 3/8" to 13/16" #MTP38DM - Metric, 10, 11, 12, 13, 15, 17, 18, 19mm, 4 lbs.

3/8" Dr. 13 PC Deepwell Set

\$38<sup>00</sup> Sizes 7 to 19mm, Skips no sizes, 5 lbs

1/2" Dr. 10 Pc Deepwell Sets

#MTP12DS - SAE, 7/16" to 1" #MTP12DM - Metric 10, 11, 12, 13, 15, 17, 18, 19, 21, 22, 24mm, 7 lbs

Your Choice \$2995

1/2" Dr. 15 Pc Deepwell Sets

Your Choice \$4995 #MT4880 - SAE 3/8" to 1-1/4" #MT4885 - Metric, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27, 30, 32, • S.W. 10 lbs.

1/2" Jumbo Deep Impact Sockets 5 Pc Set

#MT4886 (9) \$46<sup>50</sup> Hard to find large sockets in 1/2 drive, 1-3/16, 1-5/16, 1-3/8, 1-7/16, 1-1/2

3/4" Dr. 8 Pc Deepwell Set #MTP34DS 1" to 1-1/2" • 18 lbs. • Metal box

#MT4889 **\$88**75 #MT4889 27, 29, 30, 32, 33, 34, 36, 38 mm



#### **Swivel Impact Socket Sets**



3/8" Drive 7 Piece **Shallow Well Sets** 

SAE, 3/8" to 3/4", 3lbs. \$7000 **\$ 5 Q**95 #SX3654

Metric, 10, 13, 14, 15, 16, 17, 18, 3lbs. \$7000 \$5995 #SX3655

3/8" Drive Deepwell Sets 7 Piece SAE - 3/8, 7/16,1/2,

9/16, 5/8, 11/16, 3/4, 3 lbs.

\$8000 \$6995 #SX3656

10 Pieces, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

\$1<del>1000</del> \$9800 #SX3660

1/2" Drive 7 Piece **Shallow Well Sets** 

7 pieces, 1/2" tp 7/8", 4lbs. #SX2654 \$8000\$695

7 pieces, 13, 14, 15, 16, 17, 18, 19. \$8000\$6 #SX2655 (4)

1/2" Drive Deepwell Set

10 Piece SAE - 3/8, 7/16,1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16

\$128°° \$119°°

### 

#### **Shallow Well Impact Socket Sets**

3/8" Drive 8 PC. Sets

#MTP38S - SAE, 5/16" to 3/4" #MTP38M - Metric, 10, 11, 12, 13, 15,17, 18, 19mm, 3lbs Your Choice \$ 1 195

1/2" Drive 10 PC. Sets

#MTP12M - Metric, 11, 12, 13, 15, 17, 18, 19, 21, 22, 24, 5lbs

Your Choice \$1695

3/8" Drive 13 PC. Metric Set

Sizes 7 to 19mm, Skips no sizes, 2lbs. #SX3358

1/2" Drive 14 PC. Sets #MT4816 - 3/8 to 1 1/4" #MT4817 - 11, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 7lbs

Your Choice \$2950

3/4 Drive 8 PC. Set

**\$49**95 #MTP34S 1" to 1 1/2". 10 lbs.



1/2" Drive 11 Piece Shallow Well Sockets - Standard & Metric • SAE - 7/16, 5/8, 15/16 • MM - 10, 11, 12, 13, 14, 15, 16, 17, 18, 21, • 24 Dual Size - 11 (7/16), 16 (5/8), 24 (15/16) 1/2" Drive 10 Piece Deep Well Sockets - Standard & Metric • SAE - 1/2, 9/16, 11/16, 3/4, 13/16, 7/8, 1, 1-11/16, 1-1/8, 1-1/4 • MM - 19, 22, 27, 32 • Dual Size - 3/4 (19), 7/8 (22), 11/16 (27), 1-1/4 (32) 3/8" Drive 13 Piece Shallow Well Sockets - Standard & Metric • SAE - 3/8, 5/16, 7/16, 1/2, 5/8, 9/16, 11/16 • 3/4 • MM - 8, 9, 11, 12, 13, 14, 16, 17, 19 • Dual Size - 5/16 (8), 7/16 (11), 5/8 (16), 3/4 (19)

- 3" Extension 3/8" Drive 3" Extension 1/2" Drive
- 1/2" Female x 3/8" Male Adpater Molded Carrying Case

### Individual Impact Sockets e MIT

3/	'8 DRIV	E	1/2	DRIVE	Ε	3/4	4 DRIV	Έ	3/4	DRIVE		1"	DRIV	E
SIZE	SHALLOW	DEEP	SIZE	SHALLOV	N DEEP	SIZE	SHALLOW	DEEP	SIZE	SHALLOW	DEEP	SIZE	SHALLOV	V DEEP
5/16	4.99	5.99	1	6.99	10.99	1	10.99	16.99	19mm	10.99	14.99	2-1/4	33.99	52.99
3/8	4.99	5.99	1-1/16	6.99	10.99	1-1/16	10.99	17.99	24mm	10.99	15.99	2-5/16	35.99	53.99
7/16	4.99	5.99	1-1/8	6.99	10.99	1-1/8	11.99	17.99	27mm	11.99	16.99	2-3/8	38.99	61.99
1/2	4.99	5.99	1-3/16	7.99	10.99	1-3/16	11.99	17.99	30mm	11.99	16.99	2-7/16	38.99	61.99
9/16	4.99	5.99	1-1/4	7.99	13.99	1-1/4	11.99	17.99	33mm	12.99	19.99	2-1/2	44.99	71.99
5/8	4.99	6.99	1-5/16	7.99	13.99	1-5/16	12.99	18.99	(Sizes up to	3" & 65mm)		2-9/16	46.99	72.99
11/16	4.99	6.99	1-3/8	7.99	13.99	1-3/8	12.99	19.99	, ,			2-5/8	49.99	74.99
3/4	4.99	6.99	1-7/16	8.99	13.99	1-7/16	13.99	19.99	1"	DRIVE		2-11/16	51.99	75.99
7/8	4.99	6.99	1-1/2	8.99	15.99	1-1/2	13.99	20.99	SIZE	SHALLOW	DEEP	2-3/4	55.99	76.99
10mm	4.99	5.99	13mm	4.99	7.99	1-9/16	16.99	20.99	7/8	19.99	29.99	2-13/16	60.99	88.99
13mm	4.99	6.99	17mm	4.99	7.99	1-5/8	17.99	21.99	15/16	19.99	29.95	2-7/8	66.99	91.99
17mm	4.99	6.99	19mm	4.99	7.99	1-11/16	21.99	23.99	1	19.99	29.95	2-15/16	71.99	100.99
(6 & 12 poi	nt up to 1" & 22	mm)	20mm	5.99	8.99	1-3/4	21.99	26.99	1-1/16	19.99	29.95	3	75.99	108.99
	/A DDIV	_	21mm	5.99	8.99	1-13/16	23.99	27.99	1-1/8	19.99	29.95	3-1/8	84.99	114.99
1/	2 DRIV	E	23mm	5.99	8.99	1-7/8	23.99	27.99	1-3/16	19.99	29.95	3-1/4	86.99	116.99
SIZE	SHALLOW	DEEP	24mm	6.99	9.99	1-15/16	23.99	28.99	1-1/4	19.99	29.95	3-3/8	98.99	118.99
3/8	4.99	7.99	30mm	7.99	12.99	2	24.99	29.99	1-5/16	19.99	29.95	3-1/2	104.99	132.99
7/16	4.99	7.99	(6pt up to 2-1/-	4", 12pt up to 1	-1/8")	2-1/16	27.99	39.99	1-7/16	20.99	30.99	3-5/8	175.99	227.99
1/2	4.99	7.99			_	2-1/8	31.99	42.99	1-1/2	21.99	30.99	3-3/4	175.99	232.99
9/16	4.99	7.99	3/4	DRIV	E	2-3/16	33.99	42.99	1-5/8	21.99	30.99	3-7/8	208.99	242.99
5/8	4.99	7.99	SIZE	SHALLOW	DEEP	2-1/4	34.99	48.99	1-3/4	24.99	36.99	4	208.99	275.99
11/16	4.99	7.99	5/8	10.99	14.99	2-5/16	35.99	49.99	1-13/16	24.99	37.99	4-1/8	210.99	275.99
3/4	4.99	8.99	3/4	10.99	14.99	2-1/2	41.99	60.99	1-7/8	25.99	37.99	4-1/4	210.99	275.99
13/16	5.99	8.99	13/16	10.99	14.99	2-9/16	45.99	66.99	2	31.99	48.99	4-1/2	210.99	275.99
7/8	5.99	8.99	7/8	10.99	14.99	2-5/8	48.99	69.99	2-1/8	33.99	49.99	24mm	15.99	21.99
15/16	5.99	8.99	15/16	10.99	14.99	2-3/4	63.99	77.99	2-3/16	33.99	49.99	33mm	19.99	25.99

### DeWalt cordless drills & IMPACTS



#### **DEWALT**

#### 18 Volt 1/2" Cordless Impacts

- Includes 2 batteries
- 1 Hour Charger
- Heavy duty box
- Reconditioned unit subject to availability
- Carries a 1 year new tool warranty300 FT LBS TORQUE
- Reconditioned Model with 1 year warranty

#DW059K2R





### 18 Volt Drill/Reciprocating Saw Combo Factory Serviced – looks absolutely brand new with a full 1 year warranty from DeWalt

Combo includes these two great tools

#DC759 18V Drill 450 in lbs Torque 1/2 Chuck

#DC938 18V Recip Saw 1" stroke

0-2900 strokes per min

Limited Quantities! #DWDC759CAR



3 Year Limited Warranty and 1 Year Free Service Contract



### DEWALT

#### 18V Cordless Drill (Tool Only)

- 2 speeds- 0-450 / 0-1500
- 1/2 " keyless chuck
- 17 clutch settings

#DWDC970B (7)



### **CLOSE OUT**

18V Cordless Reciprocating Saw (Tool Only)

- 0-3000 rpm
- Electric brake
- Lever-action keyless blade clamp

#DWDC385B (3)



#### 18 V Cordless Impact Driver (Tool Only)

• 1/4 " Hex Shank quick release • 111 ft lbs torque (1330 in lbs) • Only 2.2 lbs and 5-3/4" long • Durable magnesium gear case and all metal transmission • Impacting mechanism directs torque to the fastener without kickback

#DWDC825B (3)



#### 18V 1/2" Cordless Hammer Drill (Tool Only)

• 3 speed all metal transmission: 0-500 / 0-1250 / 0-2000 rpm • 22 clutch settings • Heavy duty self tightening 1/2 " chuck • LED light provides visibility

#DWDCD950B (8)



#### 18V Cordless Circular Saw – 6-1/2" Blade (Tool Only)

- Carbide tipped blade included 3700 rpm Bevel capacity 0-50 • Cutting depth at 90 degrees-2-1/4"
- Cutting depth at 45 degrees- 1-5/8" Spindle lock
- 5/8" arbor Replaceable brushes

#DWDC390B (9)

#### **SIDE BY SIDE COMPARISON**

NEW! From DeWalt
12 Volt Sub-Compact Tools



STANDARD MODEL



#DWDCF813S2

#### Each tool includes:

- 2- Lithium Ion Batteries and Charger





DEWALT

3 Year Limited Warranty and 1 Year Free Service Contract



3/8" Sub Compact Impact Driver Kit

- Only 2.3 lbs - 3 LED lights

#DWDCF815S2

- 1/4" hex chuck one hand loading accepts 1" bit tips
- Belt Hook
- 0-2450 rpm
- Only 6-1/2" long



3/8" Sub Compact Drill

- Only 2.4 lbs
- LEĎ Light
- 2 speeds: 0-400 & 0-1500 rpm
- Belt Hook & Contractors Bag
- Only 7.5" long



**Impact** 

- Only 2.3 lbs

- 3 LED lights

- 0-2450 rpm

- 1150 in lbs torque

- Only 6-1/2" long

### 15 Piece Magnetic ToughCase

- 2 high strength magnets allows case to be
- fixed to any metal surfact

   Built in hooks for hanging
- Impact resistant
- Set contains: (1) 2 inch ph#2; (1) 2 inch sq#2; (2) 1 inch sl#8; (3) 1 inch ph#2! (1) 1 inch ph#3; (1) sq#1; (1) sq#2; (1) t25; (1) 1/4 inch, 5/16 ", 3/8 inch nutsetter; (1) 3 inch magnetic holder.

### **Cordless Drills Accessories**



#### Master Chuck Key

Fits 97% of all standard electric. air and coordless drill chucks, domestic and imported • 1/4" and 3/8" and most 1/2" chuck • Square center open acethylene tanks • Compare at \$29.99

\$**8**75<sub>#SX8737</sub>



#### **JACOBS** Keyless Chuck

\$**25**95 #IR510MP 3/8" \$**29**95 #IR509MP 1/2"



#### 3 Pc. Power Extension Bar

Turn any power drill into a not runner • 1/4 shaft • 3 sizes - 1/4, 3/8, 1/2 • Length 2-3/4"


\$6<sup>95</sup>#MT2902



### 14 PC. Power Nut Driver Set SAE & Metric

1/4 Hex shanks fit all power drills and screwguns • 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 5, 5.5, 6, 7, 8, 10, 12mm • With storage clip that fits on workbelt.

\$6<sup>95</sup>#MT2928 (2)



#MP5103435 3/8" #MP5304445 1/2" *\$12*<sup>95</sup> \$ **7 9**95



#### 1 Hour Charger

7.2 - 18 Volt • Charges all DeWALT 7.2, 9.6, 12, 14.4, 18 volt batteries • LED Diagnostics to communicate status.

\$79<sup>95</sup>#DWDC9310 (2)



**NEW!** Longer Lasting DeWalt XRP Batteries

12 Volt Extended Run Time

\$**79**95 14.4 Volt Extended Run Time **\$89**95

#DWDC9091 18 Volt Extended Run Time #DWDC9096

\$**89**<sup>95</sup>



**ELECTRIC DRILLS** 

DAWATT

3/8" VSR Drill

- -6 amps
- Variable Speed and Reversible
- All ball bearing construction
- 0-2500 RPMS

\$5995 #DWD21002 (5) JAWAT II

1/2" Heavy Duty Drill

- Variable speed
- 1/2 Chuck
- Factory Serviced like New
- 0-850 RPMS

\$109<sup>00</sup>







DAWATH

#### 4-1/2" Angle Grinder

• 10 Amps • Paddle switch • 1200 watt AC/DC motor • 5/8" x 11" spindle • Only 4.6 lbs. • Dust ejection system • Jab pot low profile gear box • Quick change wheel release • Keyless adjustable guard • Vibration reduction • 11,000 RPMS

\$109<sup>95</sup>



#### 7" Electric Grinder

• Grinder carrying bag • 6 High performance 1/4" metal grinding wheels • AC/DC Motor • Keyless adjustable guard • External brush doors • 8000 RPMS • 13 AMPS

\$168<sup>00</sup>





Trakita

#### 7" Electric Sander/Polisher

 Preset speed setting dial • 10 amp motor • Wrap around handle & lock on button • Electronic speed control maintains consistent speed under load • Only 6.6 lbs • 600-3000 RPMS

\$219<sup>00</sup>



#### 7" Wildcat Electric Grinder

- 15 Amp motor 4 H.P. Keyless guard
- 6,000 RPMS

\$23900 #DWD28494\$ (19)



DEW/ALT

#### 1/2" Electric Impact

- AC/DC Forward/Reverse rocker switch 7.5 AMPS
- Soft grip and all bearing construction 2700 bpm
- Only 7 lbs. 1/2 detent pin anvil Reconditioned

\$15900 #DW292R (14)

### 



Milwaukee

**Heat Gun** 

- -2 settings, 750 and 1000 F
- 10 AMPS
- 10 AMPS

\$34<sup>50</sup>



### Milwaukee Industrial Heat Gun

- Two setting 500 & 750
- 14 amps
- 1680 watts
- 5700 BTU's
- Division of Wagner Spray Tech Corp.

\$79<sup>95</sup>

#### Sanders & Grinder Accessories



#### 4" Grinding Wheels

#DC4030T 10 Wheels (4)

\$12<sup>95</sup>



#### 4" Wire Cup Brush

- -5/8"x11" thread
- 5/8 XTT tirread Fits most 7" to 9" air or electric grinders 10,000 RPMS Max

#APWB15 \$**9**95

**Backing Pads** 



For resin Fibre DiscsSpecial Turbo Design for Cool Sanding - 5/8 x 11 Thread

**\$8**95 #50511 5" 20,000 RPMS Max #70511 7" 10,000 RPMS Max \$1195



#### 7" Grinding Wheel With spin on hub

Spin on

- Depressed center
- 5/8"x11" thread
- aluminum oxide max. \$495 8,750 RPMS #DC7020HT

- S.W. 1-1/2 lbs.

4-1/2" Grinding Wheels

10 Wheels (5)

\$**19**<sup>95</sup>

#### 4-1/2" Cut Off Wheels Type 1

Double reinforced for safety 1/16 x 7/8 hole

\$ **1** 98 #1724527C Resin Fiber Grinding Discs

- Flexible resin, Fibre-aluminum oxide-coated
- 7" x 7/8" X 25 per box
- Must be used with backing pad

#MEC304036C 7" - 36 Grit

- S.W. 5 lbs.

#MEC302024C 5" - 24 Grit  $^{\$}\overline{15}^{95}$ #MEC302036C 5" - 36 Grit 23<sup>95</sup> #MEC304024C 7" - 24 Grit \$**2 3**95

16 GRIT AVAILABLE

### **DeWALT** Electric Saws







10

JAWA III ĀMP Heavy Duty Reciprocating Saw Kit

• Heavy Duty 10 AMP • Variable speed trigger • Keyless Blade clamp • 1-1/8" stroke • 0-2800 strokes per min • 4 position blade clamp allows for flushing and increased versatility • Factory serviced like new with 1 year warranty

#DW304PKR (14)



Industrial 14" Chop Saw

• 15 AMP • Operates on AC/DC • 5.3 H.P. Motor

#DWD28715 (46)

**DeWALT** 

14" Wheels for bar stock \$3450 #DW8002 5 Blades [9]

DeWALT 14" Wheels

#DW8001 5 Blades [12] \$34<sup>50</sup>



### **Bench Grinder**



#### DAWALI

#### Heavy Duty 8" Bench Grinder

- 3/4 " H.P Induction Motor
- 36,000 rpm
- 4.2 amps
- 12 1/2 " between wheels
- Spindle 5/8"
- 36 & 60 grit wheels

#DW758

3 Year Limited Warranty and 1 Year Free Service Contract

#### DAWALI

ranty and 1 Year Free Service Contract

#### Compact Jig Saw

• 5.5 Amps • Variable Speed 0-3100 strokes per minute • 4 position orbital action • All metal gear case • Show bevels 0 to 45 degrees for beveled cuts • Keyless blade clamp • 1-blade included • Factory reconditioned like new with 1 year warranty

#DW317R (12)

### **GREASE GUNS**



#SX9011 (55)

#### NATIONAL-SPENCER **Grease Continuous** Flow Handle

For dispensing grease from air operated grease pumps • Maintains same pressure as pump • Continuous flow • 1/4" NPT inlet • 1/8" NPT outlet • Grease coupler • 2 lb

"Z" Swivel - to be used with #1534 #NS1547  $\,^{\$}29^{50}$ 

#### 12 & 14 Volt **Cordless Grease** Gun Kits

- Consistent grease flow at up to 6000 psi
- 30" flex hose with spring guard
- 110 volt fast charge
   Custom carrying case
- Faster than manual methods
- Three way filling

#LN1244 12 Volt (23)

14 Volt 2 Speeds \$29800 #LN1444 (23)

\$7**9**95 #LN1201 12 Volt Battery \$39<sup>95</sup> #LN1215 Cigarette Charger \$**49**95 #LN1210 Charger



LINCOLN

### LIGHTS

#### REEL LIGHTS



40ft 18/2 Cord

#### Fluorescent Work Light with Cord Reel

- Retractable tangle-free cord stroage
- Epoxy coated metal reel housing
- Ballast built into handle
- 125 V, 13 W, .350 A, SJT 18/2 cord

#HiPL13B Bulb \$**9**95

#HiA4013AFLC (10)



**50ft** 18/3 Cord

#### Incandescent Work Light with Cord Reel

- On / Off switch and side outlet in handle
- Grounded metal bulb guard
- Resettable circuit breaker
- Epoxy coated metal reel– 7 AMP Capacity

\$59<sup>95</sup>#Hi5005CBC (11)



#### 30ft 16/3 Cord

#### Industrial Duty Power Outlet Reel

- 3 outlets
- 16/3 cord
- 10 AMP - 13 lbs.
- 9 1/2" diameter

#Hi3005-BFC (9)



### Coleman Cable 50 ft. – 12/3 Industrial Cord Reel with Tri-Tap

- 15 amp circuit breaker
- Illuminated tri-source with power indicator light
- Quick detach mounting bracket (no tools)
- Cord pulls out to desired length, locks and automatically retracts with a single pull
- Large heavy duty circular stopper locks cord in place. Keeps it from fully retracting

#CM04820 (25)

#### TROUBLE LIGHTS



#### **Coleman Cable** Trouble Lights

• 14/3 - 15 amp • 125 Volt • 1875 Watts • 1/3 Lighter in weight • 2-1/2 times more abrasion resistance • High visibilty yellow cord and metal case

#CM05657 25 ft 14/3 Cord (3)  $\$29^{95}$ #CM05658 50 ft 14/3 Cord (6)  $\$\overline{4950}$ 



#### Trouble Lights

16-3 Wire • 13 Amps • Powertap • Metal Cage • UL Approved • OSHA

#CM05427 25 ft

#CM05428 50 ft

#### LED LIGHTS

#### **TEKTON**

### Telescoping Flashlight

Housing extends from Flashlight to Worklight

• 2-in-1 design: Compact telescoping housing extends from standard flashlight (6 LED) to worklight (30 LED) • Scratch-resistant, coated magnetic base mounts light to metal surfaces without damaging finish • Hex-shaped light head prevents rolling on flat surfaces • Red/ green light indicates full charge • Rechargeable battery pack • Dimensions: 10" L (14-1/4" extended), 2-1/2" Diameter • Run Time: 3 hours (30 LEDs), 8 hours (6 LEDs)

#MT6119





#### 60 LED Cordess WorkLlight

- 3-4 hours of continuous use per charge
- Minimal heat generation
- Overcharge protection
- UL approved transformer and CE approved
- Ni-Mh battery 2200mAh

### 27 LED Magnetic Worklight / Flashlight

- 24 LED worklight
- 3 LED Flashight
- Fold away hanger hook

#MP6330 60 LED (2)

**\$ 3 9**95



### **Extension Cords**



#### Coleman Cable Extension Cords

\*With Indicator Light

Orange/U.L. Listed / Meets OSHA for Indoor or outdoor use.

Size	Wire	Part No.	Weight	Sale
25 ft.	(14/3)	#CM02407	3.5 lbs.	\$16.75
*50 ft.	(12/3)	#CM0258802	8 lbs.	\$42.75



With indicator light UL/OSHA

#### Coleman Cable Flexiable Polar Cold Weather Extension Cord

Flexiable to minus 67° F

- Power indicator light in female receptacle shows power is on
- Outer jacket is flame retardant and water resistant Durable, lightweight, and extremely abrasive resistant as well as oil, grease and chemicals

Size	Wire	Part No.	Weight	Sale
25 ft.	(12/3)	#CM01687	4 lbs.	\$32.75
50 ft.	(12/3)	#CM01688	7 lbs.	\$52.75

### 



RPM Range - 0

#### **Deluxe Automotive Meter** with RPM & Temperature

Professional grade tool used for diagnosing electrical, computer and engine problems on any vehicle. Includes two sets of test leads, RPM pick-up, temperature probe, holster and instruction manual. Inductive RPM pick-up features a five position, adjustable sensitivity switch • 45 test ranges • RPM for dis & standard ignitions • Dual display with analog bar graph and large LCD digital display • Built in temperature readings • 10 meg/ohn input impedance • Built in tilt stand • AC/DC volts

 $\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond\diamond$ 

#### Laser Photo Tachometer

New pro model Photo Tach with high intensity laser beam. Laser method allows for longer detection distance, up to 60 feet away, resulting in superior performance over infrared models. Also features max/min memory and continuous backlit LCD display. Great tool for a variety of RPM

- Continuous backlit LCD Display, easy to use
- Easy and accurate measurements of RPM in almost every environment • Simply aim at reflective tape, non-contact method • Memory function saves maximum and minimum RPM readings
- Use for measuring RPM on coil-on-plug and diesel engines, where conventional inductive tachometers can not be used • Other uses include generators, compressors, industrial engines and equipment, fang, gears and more.



9 Volt Battery Included One Year Warranty

-58 to 1022 Degrees

*15*5

#### Non-Contact Infrared Thermometer

Quick and easy surface temperature measurements. Just aim, poll the trigger and read the temperature on the display! Measures 6 inch diameter target from 4 feet away. • Builtin Laser Pointer • °F/°C Switchable Button • Backlit LCD Display • Catalytic converters, air conditioners, heaters, radiators, engine troubleshooting, coolant temperature etc.

**#ESEST75** Up to 1832° F • Spot Ratio 12 to 1 \$15095



#### Electronic Specialties **Auto Ranging** Digital Multimeter

High precision autoranging DMM that can trouble shoot all types of electrical problems. Select Volts, Ohms or AMPS and the unit will automatically select the proper test range. Other capabilities: Frequency, Capacitance, duty cycle, diode and continuity test. Auto power shut off, dual fuse protection, data hold, protective holster, beeper for continuity testing, relative change function, manual

### WIRE STRIPPERS



TOOL AID'

#### **Heavy Duty Automatic** Wire Strippers

Strips, crimps and cuts . Automatically self adjusts to strip solid or standard 10-26 gauge wire.

#SG18950

CHAN NEL LOCK Wire Stripper/Cutter

Sizes 10, 12, 14, 16, 18, 20 gauge • Handy, light weight, dual purpose wire tools • Strips installation fast, with no damage to the wire • Cuts copper wire cleanly • Lean plier nose pulls, loops wire ends • Highly visible AWG and mm. wire gauge sizes painted and embossed in the metal • CHANNELLOCK BLUE plastic comfort grips.


#### **Automatic Wire** Stripping Machine for Scrap Copper Strips Telephone Wire to 750 **MCM Industrial Wire**

- Automatically Wire Stripping Machine Strips Copper and Aluminum Wire at 125 Ft per Minute
- Strips 34 AWG 1 1/2" Wire (1.5mm-40mm) or 34 gauge Telephone Wire to 750 MCM Industrial Wire
- Adjustable Spring Loaded Cutter/Feed Rollers Easily cuts different size wires
- · Can cut 2 different sized wires at once
- Industrial Quality Belt, Gear and Chain Drive System
- Quiet Induction Motor: 110V 60Hz 3 hp motor 10 Amps
- Dimensions: 23" x 27" x 34" (L x W x H)
- 30 Amp Circuit Breaker and 15 amp on/off Switch for Superior Motor Protection
- Easy to use on off switch mounted to the outside of the frame
- Grounded Power cord made with Double Insulated 12 Gauge Wire









- Mounts easily to any bench or work station
- High quality light weight construction made of durable aluminum
- A Metric HEX Wrench Is Required For Proper Adjustments
- Used for removing the plastic and rubber insulation from undamaged scrap wire. (this machine will not strip coaxial cables)
- · Easily connects to drill for automatic wire stripping
- · Estimated Strips/min: 450 inches/min.
- Wire gauge range: 10 -0 AWG (3-9mm)

#CFT01ARWTDS (1.85)



### **CHARGERS & TESTERS**



#### 6/12 Volt Battery Charger & Tester

• 200 Amp 12V engine start • 12V charge setting: 40 amp high / 2 amp low trickle • 6V charge setting: 130 amp start / 40 amp high / 15 amp medium • Test feature identifies battery and alternator problems, indicates battery state of charge, problem battery conditions such as shorted, frozen or sulfated batteries • 2 hour timer - has a hold position when continuous charging is required • Charge automotive batteries in 1-3 hours

• Extra long 6ft copper output cables • 5 year limited warranty on transformer and rectifier, 2 years on the unit, 1 year on cables.

\$228<sup>00</sup> #CTY87423



#### DSR Pro Series Charger 6/12/24 Volt

Charges 6, 12 and 24 Volt batteries. • 80/40 amp rates – for 6 volt battery systems. • 65/35/5 amp rates – for 12 volt battery systems. • 30/10 amp rates – for 24 volt battery systems. • 135 min timer with Hold position for precise control of the charge duration • 6 ft 4-gauge TPE welding grade battery cables. Epoxy coated 400 amp steel clamps and copper jaws. Heavy duty voltage and rate control switches. Large fac, clear view meters for easy read. Extra long 9 foot AC line cord. Output engine start 180A / 250A/ 200A. 3 year warranty. UL



**TESTERS** 





#### 6 & 12 Volt Battery Tester

#### Features and Benefits :

• Heavy-duty copper-plated clamps • 100 amp load capacity • 0-16 volt range • Load safety switch prevents arcing • Heavy-duty, chrome-plated, ventilated steel case • Works on both 6V and 12V batteries • Ceramic insulators • Determines state of charge, cranking and charging volts • Determines good/bad status • Extra large display with zero adjust

**\$39**95

#ES700 (5)



#### Carbon Pile Load Tester

Electronic Specialties

500 Amp adjustable load carbon pile, great for simulating cranking loads, Tests 12 volt batteries rated as high as 1000 CCA or 160 amp hour, can also test alternators, regulators, and starters, large dual meters display voltage and load current, meters are color coded, includes temperature compensation chart.

\$118<sup>00</sup>
#ES710 (13)

### **BOOSTER PACKS**



### Jump-N-Carry®

### 1700 Peak Amp 12 Volt Jump Starter

• 1700 peak amps of starting power and weighs only 18 lbs • Cable: #4 Gauge Welding, 46" long • Built-In Charger • Indicator Display: Volt Gauge • DC outlet to power 12V accessories • 1 yr warranty

\$169<sup>95</sup>
#SOJNC660 (25)



#### Jump-N-Carry®

### 3400 Peak Amp 12 / 24 Volt Jump Starter

- 3400 Peak 12 Volt Amps 1700 Peak 24 Volt Amps • Indicator Display: Voltage • Charger: 1 Amp Automatic • Battery status indicator gauge. • 46" Heavy-duty #2 cables • DC outlet to power 12 Volt
- status indicator gauge. 46" Heavy-dut #2 cables • DC outlet to power 12 Volt accessories. • 1 year limited warranty

3400 PEAK AMPS

49900 #SOJNC1224 (42)

**LIMITED QUANTITIES!** 

### We feature brand names and lots of them!

Link to Our New Expanded Catalog to find more http://www.toolsunlimited.com/pdf/ToolsCat 2.pdf Or go to our website and use the expanded catalog link.

















































































































### WAIST OIL DR

#### 18 Gallon Oil Waste Drain Tank

Easily Drain and Dispose of Oil

The 15" Telescoping Metal Funnel (46"-76" lifting range) Eliminates oil spills and drips. Easily drain oil filters before disposal. Simply close the ball valve to the tank and connect your air hose. The used oil will discharge out the 1" hose into another

#### Features:

 Working Range is 46" - 76" • 15" x 5-1/2" Metal Funnel • (2) 6" Solid Rear Rubber Tires will not go flat • (2) 3" Solid Front Swivel Casters • 1" x 8' Premium Discharge Hose • Adjustable Air Regulator up to 120 PSI • Safety Air Pop Off Valve • 120 Degree Metal Hook End makes disposal easy • Durable Red Powder Coated Finish will look great for years to come. • 1 Year Full Warranty

#### **Shipping Weight and Dimensions:**

62 Lbs
 39 x 18 x 17 Inches

#CFT1823DI

\$169<sup>00</sup>



#### 18 Gallon Low Profile Truck Waste Oil Drain with Pump

• Ideal for oil draining trucks where a pit or hoist is not available • Large 18 Gallon baffled tank • captures oil and transports with ease • Large metal screen • Convenient rotary hand pump facilitates easy evacuation to large oil tanks • Long steel handle eases moving and positioning of drain • Ship Weight: 46 lbs. • Package dimensions: 45"x25"x8"

#AF8878

#### 18 Gallon Oil Waste Drain Vacuum Pump

• Degree of Vacuum: 0-11.6 PSI • Operating Air Pressure: 116-145 PSI • Oil Collecting Pan: 2.64 Gallons (10 Liters) • Oil Drum: 18 Gallons (70 Liters) • Extraction Volume: .21-.42 Gallons Per Minute (.8-1.6 Liters Per Minute) • 3" Front Swivel Wheels • 5" Rear Wheels • Tank 25" x 15" • Measuring Guage on outside of tank • 56" Drain Hose • 55" Max Height • 11" x 10" Vaccuum Sphere • 6 Assorted Exctraction Tubes • Ships UPS

#CFT1043DL (114) \$29800

#### 30 Gallon Oil Waste Drain

The 15.5" Telescoping Metal Funnel (46"-76" lifting range) Eliminates oil spills and drips. Easily drain oil filters before disposal. Simply close the ball valve to the tank and connect your air hose. The used oil will discharge out the 1" hose into another container.

#### Features:

• Easily Drain Engine Oil, Transmission Fluid, Gear Lube and Antifreeze / Coolant Working Height Range is 49" - 72" (H) • 15" x 5-1/2" Metal Funnel with plastic Debris Screen • 8" x 6" Metal Tool Tray • (2) 7" Solid Rear Rubber Tires will not go flat and Steel Wheels • (2) 4" Solid Front Swivel Casters and Steel Wheels • Tank Measures 28" (T) x 17" (W) • 1" x 80" Premium Discharge Hose • Adjustable Air Regulator up to 120 PSI • Safety Air Pop Off Valve • 120 Degree Metal Hook End makes disposal easy • Durable Red Powder Coated Finish will look great for years to come. • 1 Year Full Warranty

#### **Shipping Weight and Dimensions:**

• 109 LBS Shipping Weight • 78 LBS Actual Weight • Box Measures 41 x 21 x 21 inches • Ships UPS

#CFT1033DL (109)



Oil Collector Waste Drain Pan with Swivel Wheels. Here is an Economical Way to Drain any Fluid using a Lift. Works with any Fluid and Most Containers. Drain Directly into a Bucket or Small Drum.

· Easily Drain Fluids into Many Types of Containers • Adjusts Up, Down, In, and Out • Maximum Height of Drain Pan is 68-1/2 Inches Tall • Minimum Height of Drain Pan is 41 Inches Tall • On / Off Ball Valve on Stem to Release Fluids • Steel Catch Pan Measures 21" x 13" • Square Steel Bottom Tray Measures 15.5" x 15.5" . Maximum Height of Container that will fit is 15" Around by 29" Tall • (2) 5" Rubber Tires with Steel Wheels • (2) 2.5" Solid 360 degree Swivel Wheels for Easy Mobility





### **Professional Quality Socket Sets**

Both sets-6 pt. shallow & deep sockets, ratchet, universal joint, 2" & 6" extensions



Both sets-Contains 8" ratchet, 1-3/4" and 3" extensions



#### 21 PC 1/4" Drive Socket Sets

#MT11451 Standard • 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", Deep sockets-1/4", 9/32", 5/16, 11/32, 3/8", 7/16", 1/2"

**#MT11501** Metric • 4, 5, 5.5, 6, 7, 8, 9, 10, 11mm, Deep Sockets - 5.5, 6, 7, 8, 9, 10, 11mm

Your Choice (4)



#### 21 Piece 3/4" Drive Socket Set

• 20" 1 piece ratchet • 20" flexible bar • 4" extension • 8" extension bar • box • 3/4 SAE set 6 point 16 pieces • consisting of 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-13/16", 1-7/8", 2" • 36 lbs.

#### 20 Pc 3/8" Drive Socket Sets

#MT11551 Standard Sockets 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" Deep sockets 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" #MT11601 Metric Standard sockets, 9, 10, 11, 12, 13, 14, 15, 17, 19mm sockets, Deep sockets 10, 11, 12, 13, 14, 15, 17, 19mm sockets

\$2950 Your Choice (4)



#### 21 Piece 1" Drive Socket Set

• 26" ratchet • 8" & 18" extensions • 20" sliding and T-handle • 16 sockets • 12 point • 1-5/8", 1-11/16", 1-3/4", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/8", 2-3/16", 2-1/4", 2-3/8", 2-1/2", 2-5/8", 2-3/4", 2-15/16", 3", 3-1/8" • two boxes ups, 60 & 30 lbs.

#MT33121

#### 17 Pc 1/2" Drive Socket Set

Standard, Contains 10" ratchet, 5" extension, 14" flex Breaker bar, 7/16",1/2", 9/16", 5/8",11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" sockets, Metal box.

#MT11701 Metric 10-27mm (9) \$**39**95

#MT11651 (9)



#### 60 Pc 1/4, 3/8, & 1/2" Dr Professional Socket Set

1/4" Socket 6 point: Shallow & Deep 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, Shallow Only 3/16, 7/32 3/8" Socket 6 point: Shallow & Deep 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16", Shallow Only 7/8 1/2" Socket 6 point: Shallow & Deep 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-1/4

• Ratchets with built in speed disc: 1/4" x 5-1/2", 3/8" x 8", 1/2" x 10" • Spin disc: 1/4, 3/8 & 1/2 • Extensions: 1/4' dr. - 2" & 4", 3/8" dr. - 1-3/4 x 3", 1/2 dr. - 17" Flex breaker bar • 1/4" dr. - 6" Spinner handle and universal joint

> **MANUFACTURERS** SPECIAL!

### **GearWrench** Master Socket Sets



#### **GEARWRENCH**

#### 57 Piece 3/8 Drive Socket Set

GearWrench Technology allows for the socket to withstand increased leverage where higher torque is needed. The entire GearWrench Socket an Ratchet line is backed by a lifetime replacement/repair warranty. Sets feature metric and SAE coverage, are uniquely engraved for easy size identification. Features a standard and stubby full polish teardrop ratchet for more versatility. Includes: 1/4"-1" standard and 1/4"-7/8" deep sockets, 6-19mm standard and deep sockets, and 6" exstension and universal joint.



#### **GEARWRENCH**

#### 1/4" Drive 51 Piece Master Set

- 6 Pt. SAE / Metric Socket Set
- -3/16" 9/16" standard and deep sockets
- 4-5.5, 6-15mm Standard and deep sockets - 1/4" Teardrop ratchet and 1/4" thumbwheel ratchet
- Universal joint

#KD80300 (6)



#### **GEARWRENCH**

#### 1/2" Drive 49 Piece Master Set

- 6 Pt. SAE / Metric Socket Set
- 7/16" 1-1/8" standard and 1/2" 15/16" deep sockets
- 10-24mm Standard and 10-19deep sockets
- 1/2" Teardrop ratchet and 3 & 5" extensions
- Universal joint

#KD80700 (18)

#### HAND RATCHETS



• Chrome Vanadium Steel • Quick action release lever • Contoured nylon handle grip • Sockets lock onto ratchet • Quick release button.

Part No.	Drive	Price
#MT1476	1/4" Drive	\$11.95
#MT1477	3/8" Drive	\$15.95
#MT1478	1/2" Drive	\$19.95

### Urrea Industrial Hand Ratchets

Professional Ratchets

Part No.	Drive	Weight	Price
#PM5249	3/8" Drive.	5	\$21.95
#PM5449	1/2" Drive	1.5	\$29.95
#PM5649	3/4" Drive	7	\$78.00



#### **BREAKER BARS & EXTENSIONS**



#### ·····SCREWDRIVERS



#### **GEARWRENCH**

#### 12 Piece Screwdriver Set

- Six Slotted 1/4"-3/8" 4 with hex bolster,1 with cabinet tip
- Six Phillips #0 #3, 2 with hex bolster

\$ **78**00 #KD80051 (4)



#### 7 Pc Nut Driver Set

- Color coded handles
- Oversized grips
- Sizes: 11/32, 3/16, 3/8, 1/4, 7/16, 5/16, 1/2"

\$ **1** 150 \*\*MT1398 (1)



"Chrome Vandadium Steel Blades"

. . . . . . . . . . . . .

22 Pc High Visibility
Color Coded Screwdriver Set

Magnetic tipped, extra hardened tips, hex. boosters on most commonly used screwdrivers for extra torque 9 slotted, 5 Phillips, 5 Star Type - 1 screwholder, 1 tack puller.

\$21<sup>75</sup>

#### 4 Pc Mini Pick & Hook Set - Hi-Visibility

Contains - straight pick, 90 degree hook, full hook and small angle hook. Great for cotter keys, o-ring, springs, snaps rings, washers etc.

\$**5**99



### Phillips (#2) & Slotted (1/4") 7 1/2" long, 4" blade, hardened

#MT27015 Slotted #MT27015 Phillips #249

"White the street is the street

#### 8 Pc Industrial Screwdriver Set

Famous brand copy, Shot peened tips, Hex nut on top of Shank next to handle provides extra turning power when wrench applied to it, (4) slotted with hex hoister, (1) slotted head stubby, (1) Phillips head with hex bolster, (2) Phillips head





### WRENCHES

### **GEARWRENCH Ratcheting Combination Wrench Sets**

**7 Piece SAE Set** 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4 #KD9317..... <sup>[4]</sup>\$59<sup>95</sup> 7 Piece Metric Set 8,10, 12, 13, 14, 15, 18mm #KD9417.....[4] 12 Piece Metric Set #KD9412......\$109<sup>50</sup> 13 Piece SAE Set 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 

TEKTON 10 PC Ratcheting Wrench Sets Your \$5995 Choice! \$eac

72 teeth chrome vanadium ratcheting box end 15° angle open end

**#MT2107** Standard • 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8" #MT2110 Metric • 8, 9, 10, 11, 12, 13,

14, 15, 17, 18 mm



#### 4 pc Ratchet Wrench Adapter Kit

Turn any GearWrench into a Ratchet!


• 1/4" 3/8,1/2" drives. • Convert your ratcheting wrenches into socket and bit drivers. Featuring chrome vanadium construction.



#### GEARWRENCH INDIVIDUAL WRENCHES

**STANDARD METRIC** 

Part No.	Size	Price	Part No.	Size	Price	Part No.	Size	Price	Part No.	Size	Price
#KD9010 #KD9011 #KD9012 #KD9014 #KD9016 #KD9018	5/16" 11/32" 3/8" 7/16" 1/2" 9/16" 5/8"	\$10.95 \$10.95 \$11.95 \$13.95 \$15.95 \$15.95 \$17.95	#KD9024 #KD9026 #KD9028 #KD9030 #KD9032 #KD9034 #KD9036	3/4" 13/16" 7/8" 15/16" 1" 1-1/16" 1-1/8"	\$19.95 \$23.50 \$23.95 \$26.95 \$26.95 \$29.95 \$29.95	#KD9110 #KD9111 #KD9112 #KD9113 #KD9114 #KD9116 #KD9116	10mm 11mm 12mm 13mm 14mm 15mm 16mm	\$11.95 \$12.95 \$13.95 \$14.95 \$15.95 \$16.95 \$17.95 \$18.95	#KD9120 #KD9121 #KD9122 #KD9122 #KD9125 #KD9127 #KD9130 #KD9132	20mm 21mm 22mm 24mm 25mm 27mm 30mm 32mm	\$24.95 \$24.95 \$24.95 \$26.95 \$26.95 \$33.95 \$35.95 \$38.95
#KD9020 #KD9022	11/16"	\$19.95	#KD9038	1-1/4"	\$35.95	#KD9118 #KD9119	18mm 19mm	\$19.95 \$19.95	#KD9134	34mm	\$42.95



#### **MAX LEVERAGE**

14 Piece Industrial "Long Pattern" Wrench Set

**#MT1937** Miror polished with notched open end, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16", 1-1/8", 1-1/4"

#MT1938 Metric Set 10,11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 23, 24, 27, 30, 32 mm

Compare at \$150.00

Your Choice (12)



#### 11 & 14 Piece Professonial Quality Wrench Sets

Lifetime Guarantee • Super high polish finish

14 Pc SAE Set 3/8ths to 1-1/4" - 12 lbs. #MT1940 [9]

**\$39**95

11 Pc SAE Set 3/8ths to 1' #MT1925 [5]

**\$23**50

**15 Pc Metric Set** 10, 11, 12, 13, 14, 15, 16,17, 18, 19, 20, 21, 22, 23, 24

\$**34**75

11 Pc Metric Set 6, 8, 9,10, 11, 12, 13, 1 17, 18, 19mm, - 6lbs. #MT1930 [4]

**\$ 1 Q**95

### E W



3 Pc Jumbo Adiustable Wrench Set 20 lbs. • 15", 18", and 24"

#MTAWJ3 (3)



4 Piece Adjustable Wrench Set

6" - 8" - 10" - 12", 4lbs.

#MTAW4 (4)



Adjustable Wrenches

\$**5**95 8" #MT2305 \$**8**75 10" #MT2315 \$**11**75 12" #MT2325 *\$17*<sup>95</sup> 15" #MT2330 \$**2**895 18" #MT2340 \$46<sup>75</sup> 24"

#MT2341

27

#### WRENCHES



8 & 10 Pc. Short Wrench Sets

#MT1918 SAE - 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16, 1

#MT1919 METRIC - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19

Your Choice (3)

45° Angle Wrench Set 14 Piece set • 3/8ths to 1-1/4"





### PE WRENCHES

#### 4 Piece Pipe Wrench Sets

24" Only 8" 10" 14" 18" 8" 10" 14" 24" 4lbs #MT2365 (19) #MT2390 (11)

\$3850

#MT2366 (19) **\$44**50

#### 3 Pc Aluminum Pipe Wrench Set

When using aluminum pipe wrenches, pull instead of push to apply torque so the load is always applied to the fixed jaw

#MT2363 24" Only #MT2364 36" Only \$**59**95

\$**59**95 **\$79**95



### **Jumbo Wrench Sets**



#### 10 Piece Jumbo Wrenchs

#MT1962 1-5/16" thru 1-7/8", plus 2", S.W. 36 lbs. **#MT1963** 34, 36, 38, 41, 42, 44, 45, 46, 48, 50mm

Your Choice (36)



Jumbo Crowfoot Wrench Set For those large nuts in hard to reach places

7 Piece Set Sizes: 1", 1 1/16", 1 1/8", 1 3/16", 1 1/4", 1 3/8", 1 1/2"

6 Piece Set Sizes: 1 5/8", 1 3/4", 1 7/8", 2", 2 1/8", 2 1/4" #SX9722 (4)



#### 6 Pc Jumbo Angle Wrench Set

One standard end and one right angle and sizes 1-3/8 thru 2" in eights

 $\mathbf{Q}00$ 

#MT1959 (28)



4 PC Jumbo Wrench Set 2-1/8", 2-1/4", 2-3/8", 2-1/2", S.W. 40lbs.

#MT1957 (40)

### Individual Wrenches





#### Metric

Size	Weight	Price	Size	Weight	Price
8mm	.5	\$1.99	17mm	.5	\$3.59
10mm	.5	\$2.39	18mm	.5	\$3.59
11mm	.5	\$2.59	19mm	.5	\$3.99
12mm	.5	\$2.79	20mm	1	\$4.29
13mm"	.5	\$2.79	21mm	1	\$4.59
14mm	.5	\$2.79	22mm	1	\$4.99
15mm	.5	\$2.99	23mm	1	\$4.99
16mm	.5	\$3.29	24mm	1	\$5.29

### **PUNCH & CHISEL SETS**



#### 6 Piece Pin **Punch Set**

- 3/32 x 4-1/2 1/8 x 4-3/4 5/32 x 5 3/16 x 5-1/4 •
- 1/4 x 5-3/4 5/16 x 6-1/4
- Hex Shanks

\$8<sup>95</sup>#MT6739



#### 12 Piece **Jumbo Punch & Chisel Set**

Includes: 6 cold chisels, 2 center punches,

#MT6738 (8)



"Famous Brand Copy"

#### 16 Pc Industrial Punch & Chisel Set

3 cold chisels, 2 center punches, 5 pin punches, 5 tapered punches

**71** 75<sub>#MT6740</sub>

### VISE-GRIP



### **CHANNEL-LOCK**



#### CHAN NEL LOCK

Linemens Pliers 8-1/2" Rounded nose

\$23<sup>50</sup> #CL348 (3)



#### CHAN NEL LOCK

Cutting Pliers
7" Lap Joint

\$ **1 6**95

16<sup>93</sup> #CL337



#### CHAN NEL LOCK

#### **Tongue & Groove Pliers**

rengale of energy mane
<b>10"</b> 2" Capacity, 7 Adjustments, 14 oz. #CL430
<b>12"</b> 2-1/4" Capacity, 7 Adjustments, 1-1/2 lbs. \$ 16 <sup>45</sup> #CL440
<b>16"</b> 4-1/4" Capacity, 8 Adjustments, 3 lbs. #CL460\$2895

### **PLIERS**



### **SPECIAL!** 8 Pc Snap Ring Plier Set

• Operates both internal and external rings • Comfortable insulated vinyl handles • Set includes: 5-1/2" bend pliers with .038" tip, 6" straight pliers with .038" tip, 5-1/2" bend pliers with .0447" tip, 6" straight pliers with .047" tip, 7-1/2" bend pliers with .07" tip, 8" stright pliers with .070" tip, 8-1/2" bend pliers with .090" tip, 9" straight pliers with .090" tip, 1-5" hook tool, 1-5" pick tool, blow molded case

\$**39<sup>95</sup>** #MP9401 (5) **\$29**95



3 Pc Slip Joint Plier Set

6, 8, 10 • PVC Handles

\$9<sup>75</sup>



6" Slip Joint Plier

Precision machined jaws and \$\frac{1}{295}\$ groove with PVC dipped handles.



11" Long Reach Long Nose Plier

\$6<sup>75</sup>



5 Piece Plier Set

• 6" diagonal • 6" long nose • 7" lineman • 8" groove joint • Heat treated and insulated handles

#MT3556 (4) **\$ 1 9 9 5** 



Individual Pliers

#MT3507 - 6" long nose plier #MT3531 - 7" diagonal cutting pliers

YOUR CHOICE! \$495




### **Professional Vise**

- 60,000 PSI main stress parts locking swivel base 360° swivel
- Steel serrated jaw inserts and PPE jaws
- Straight line design
- Unbreakable spindle and not.

I	MODEL NO.	SIZE	MAX OPENING	PIPE GAP	WEIGHT	PRICE
I	#1765	6"	6-1/2"	3-1/2"	72	\$598.00
l	#1780A	8"	7"	3-1/2"	110	\$898.00







- Jaw opening and jaw width 6-1/2"
- 5-1/2" throat depth
- Pipe capacity 1/8" to 3-1/2"

\$559<sup>00</sup>



- Jaw opening 8" and jaw width 7-1/2
- Throat depth 6"
- Pipe capacity 1/8 to 4-1/2"

**5**00



#### Multipurpose REVERSIBLE Mechanics Bench Vise

- 6 -1/2" jaw width - Has two unique jaw positions
- Standard jaw opens 0-7'
- Reversible jaw position opens to 3.75" to 11
- Pipe capacity 1/8" to 3-1/2"
- Jaw width 6-1/2" opening 7 " (11")
- Throat depth 4" (3") 49 lbs.

**Q**00 #YT865

### **USA Made** Lisle Low Profile Creeper "Almost Indestructible" #1 192102 (30) - Molded polyethylene plastic - Low profile with six 2" rubber rollers - 38" long x 17-1/2" wide x 3-5/8" high - 7/8 Floor clearance 4" High 7/8" Floor Clearance



### **TAPE**

#### 27 Ft. Heavy Duty Ratchet Type Tie Down

- 20,000 lb. Capacity
- 2" x 27' Polyester

**Tie Downs** 


- Webbing with flat hooks - Quick automatic release
- Single 10,000 lbs.
- Looped 20,000 lbs.

#MT6226A (8)

#MT6222 (6)







### Cloth Duct Tape

- 2" x 60 yards - Water proof
- Weather resistant

85 PER ROLL #AIC5 (2)

#### **USA Made Electric Tape**

10 rolls per package, 3/4" x 60' UL

10 Rolls

#MT10EL (3)

50 Rolls 10 Per Pack #MT10EL (3)

**\$ 7**99

**\$8**99

#### **All WEATHER TARPS & NEW ROUND TARPS**

Tear resistant, will not crack in the cold, remains flexible, waterproof, grommets every three feet, for stationary storage only, made of durable polyethylene, 1/2 the weight of canvas and resists most acids and alkalines.

DOUBLE DUTY TARPS, 200% DENSER WITH GROMETS 18" APART... INQUIRE!!

PART NO.	SIZE	WEIGHT	PRICE	PART NO.	SIZE	WEIGHT	PRICE
#68	6x8	2lbs.	\$3.95	#1824	18x24	10lbs.	\$32.95
#810	8x10	3lbs.	\$6.95	#1530	15x30	10lbs.	\$34.95
#1010	10x10	5lbs.	\$7.95	#2020	20x20	10lbs.	\$31.95
#912	9x12	4lbs.	\$8.95	#2030	20x30	16lbs.	\$46.95
#1012	10x12	5lbs.	\$9.95	#2040	20x40	19lbs.	\$62.95
#1015	10x15	5lbs.	\$11.95	#3030	30x30	19lbs.	\$70.95
#1020	10x20	6lbs.	\$15.95	#2050	20x50	31lbs.	\$76.95
#1216	12x16	5lbs.	\$15.95	#3040	30x40	40lbs.	\$94.95
#1224	12x24	9lbs.	\$23.95	#3050	30x50	40lbs.	\$115.95
#1620	16x20	11lbs.	\$24.95	#4060	40x60	60lbs.	\$179.95

### T-HANDLE HEX KEYS & HEX BIT SETS



#### Fold up Hex Key **Wrench Sets**

- Textured non slip rubberized grips
- Chrome Vanadium Steel

9 pc Hex Key SAE Set

5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4

#MT25151 .....\$**4.99** 

9 pc Ball Hex Key SAE Set (25° offset) 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16,

7/32, 1/4 #MT25181 ..... \$5.99

8 pc Hex Key Metric Set

6 Piece JUMBO

**Hex Key Sets** 

#MT2535 • 3/8, 7/16, 1/2, 9/16, 5/8,3/4 #MT2540 • 8. 10. 12. 14.

17, 19mm

1.5, 2, 2.5, 3, 4, 5, 6, 8mm # MT25161 ..... \$4.99

YOUR CHOICE .....[5] \$16.75





### 7 pc 3/8" Drive Extra Long Hex Bit Sets

#MT1362 SAE: 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" #MT1363 Metric: 3, 4, 5, 6, 7, 8, 10 mm #MT1352 Star: SD10, 15, 20, 25, 27, 30, 40

• 6" Long • 2pc Design Allows Replacement of Worn or Damaged Bits • S-2 Steel bits • Notches in sockets lock onto ratchets or extensions

YOUR CHOICE ......[2] \$18.75

### 13 Pc Hex Key Wrench Set Heavy duty color coded storage case

- Hex Key Set #MT25217
- Ball Hex Key Set #MT25219 (25° offset) .05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" Hex Key Set #MT2522
- Hex Key Set #MT25218
  Ball Hex Key Set (25° offset) #MT25220
  1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 8, 10mm

YOUR CHOICE ......[1] \$7.95

**HAMMERS** 



#### **TEKTON**

#### 3 lb. Fiberglass **Drilling Hammer**

- Drop forged, heat treated steel head
- Fully polished head
- Square, polished striking face
- Rugged 50% fiberglass handle
  Cushioned textured non-slip rubber grip



#### Double Face Slege Hammers

#MT3103 3lb Wood Handles (5) #MT3110 3lb Fiberglass Handles (5) #MT3104

4lb Wood Handles (5)

- Eliminates Rebound
- Soft face will not spark or mar work surface

#MTBPHAMMERSET (8)

- Head is shot filled.

TEKTON

- Fiberglass Handles -8, 12, 16, 24, & 32 oz

Ballpien Hammer Set

5 Piece

#MT3182 16 oz. #MT3183 24 oz. #MT3184 32 oz.

#MT3188 48 oz.

#MT3189 64 oz.



#### Industrial Ballpien Hammers

with Wood Handles

Urrea Professional Tools Formerly Protomex

15<sup>95</sup> #PM1324PN 24oz. 1695 #PM1332PN 32oz.



#### 3lb. Cross Pien Hammer

- Hickory handle square
- Tapered striking faces
- 15" long

#MT3097 (5)



#### **Brass Hammers** With Fiberglass Handles

Prevents damage to delicate parts and metals.

#MT3190BH 16oz.

#MT3191BH 24oz.

# THE PROPERTY OF THE PARTY OF TH

### **Drill Bit Sets**

#### 115 Pc Drill Bit Set "High Speed Steel!"

- Fractional sizes 1/16 to 1/2 by 64thsNumbered set 1 thru 60
- Lettered set A to Z

3 Indexes in One!

#CO503115 (10)

118° & 135° Jobber Length

#### 🔛 Individual High Speed Drill Bits

Bright Finish, Titanium, Cobalt and Economy bits available...INQUIRE!



#### 29 Piece Drill Mug

- Black Oxide Finish
- HSS Jobber Length
- Self centering
- Lasts Longer
- Cuts faster
- 50% less drilling pressure
- 1/16 to 1/2" by 64ths

#ALBB74190DM (3)

135 Degree Blitz Bits - Split Point

### 33-pc. Titanium High Speed

Steel Drill Bit Set #MT29TA (4) • Hardened M2 High Speed Steel Twist Drill Bits • Titanium-Nitride Coating Resists

Heat for Increased High Speed Performance • Polished, Precision Roll-Forged Flutes • 135° Split Point Starts on Contact, Reduces Walking • 3/8" Reduced Shanks • Multi-Purpose Bits for Wood, Metal and Plastic • Complete with Metal Index Case

1/16" (2pc.), 5/64" (2pc.), 3/32", 7/64", 1/8" (2pc.), 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2"

#### **Tape Measures**

#### Starrett Tape Measure

12 Feet 1/2" wide blade

25 Feet 1" wide blade



\$**6**75

\$**10**75

### PRECISION MEASURING TOOLS



- Resolution .0001 x .01mm
- Inch meter reading
- Floating Zero
- Auto stuff on

#CF3C301

& Magnetic Base Holder

- Indicator 1" travel
- 0-100 reading
- Graduation .001

#CO777-75B (5)

#### **Power Tape** Measure

With Locking Button

**12 Feet** 1/2" wide blade #*MT71951* 

16 Feet 3/4" wide blade

25 Feet 1" wide blade



#### **GLOVES**



**Brown Jersey Glove** 

- 100% Cotton knit
- Clute pattern
- Knit wrist
- Great as a glove liner.

#AF164300 Per Dozen





#### Nitrite Painters Gloves

• 13" length • Puncture and abrasion resistant • Protects against petroleum, solvents, grease, oil, and other shop contaminants . Textured for better grip

#SA6531- Small

#SA6532- Medium #SA6533- Large

#SA6534- X-Large



Lightly powdered

#AIN903L-PF - Large #AIN904XL-PF - X-Large

Per Box of 100



#### Thickster Latex Exam **Grade Gloves**

- Lightly powdered exam grade latex
- Extra thick latex protection 12"
- length Textured grip Beaded cuff • Ambidextrous • 14 mil latex

#SA6602- Medium #SA6603- Large #SA6604- X-Large #SA6605-XX-Large

EX Lightly Powered - 50 per box

Per Box

### MISCELLANEOUS HAND TOOLS

#### Fix Crushed. Bent or Twisted Roll-Up **Trailer Door Tracks**

• Hammer it through a crushed track section to openit up . Use the slot to ' tweak" the edges of the track back into shape • Pry the track open with the slot to replace rollers- then close the track again







For Whiting 2" Door Tracks #K-1312

**\$89**95



#### **Heavy Duty** Rubber Tie Down Straps



• A combination of natural and synthetic rubber for maximum strength • Galvanized steel S-Hook at each end • Measurements does not include the hooks. • add 5" for the hooks (2 1/2 per hook)

#MT6195 15" 10 Per Pack

#MT6200 21" 10 Per Pack #MT6205 31" 10 Per Pack

#MT96916

#### **Utility Knife** 4 Position



- Thumb slide adjustment
- Cast alloy handle
- Includes 5 blades

#MT6921 Package of 10 Spare Blades \$139



1/8 to 1" • NC/NF - 11-1/2" OD 1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 1/4-28, 5/16-24, 3/8-24, 7/16-20, 9/16-12, 5/8-11, 9/16-18, 8-18, 2" OD 3/4-10, 7/8-9, 1-8, 3/4-16, 7/8-14, 1"-12

#MT7560 (18)

*\$109*00 #MT7561 Metric Set (18)



#### Angle Hacksaw Frame

Die cast aluminum frame with baked enamel finish. Tubular steel main beam provides exceptional strength. Flexible bi-metal blade.

#MT6822



#### Long Handle Wire Brush

- 1 x 5/8 x 13-1/2
- -3 rows x 19 rows



#### TOOL AID PROFESSIONAL AUTOMOTIVE TOOLS

#### 6 & 12 Volt Heavy Duty Circuit Tester "LIFETIME"

The best quality electrical circuit tester available for checking 6 and 12 volt systems.

- Has heavy duty battery clip.
- · 5-Foot of tough, flexible, heavily insulated rubber wire is retained in spring supported strain relief designed to withstand the most rugged use.
- Bulb is easily replaced.

#SG27000



- Individual strength
- Non breakable
- high strength ductile iron frame

#MTBDCC-4 4" Clamp (2) #MTBDCC-6 6" Clamp #MTBDCC-8 8" Clamp



30" Heavy Duty Bolt Cutters

1/2" Capacity

### SUNEX SERVICE CARTS



#### SX8045

**Professional Duty 5 Drawer Service Cart** 

#### \$369.00

- 5" Oversized casters: 2 locking, 2 non-locking
- Flip top locking lid, 5 drawers all pre-assembled with common keyed locks, screwdriver/prybar holder, and side work shelf
- EVA foam drawer liners included
- Chrome 16 gauge steel frame and powder coated finish

LOAD CAPACITY (lbs.) 500 SERVICE CART (ins.) 30 16 41 TOP SHELF (ins.) 30 16 TOP TWO DRAWERS (ins.) THIRD DRAWER (ins.) 1.5 1.5 15 15 12.5 26.75 FOURTH DRAWER (ins.) **BOTTOM DRAWER (ins.)** 

#### SX8054 4 Drawer Locking

Top Service Cart \$398.00

- 5" Oversized casters: 2 locking, 2 non-locking Ergonomic grip handle

- Locking topPry bar holder
- Deep top bin
- 4 drawers: top 3" (2), middle 4", bottom 5" Gas shocks to support lid





### PE THREAD



Fits RIDGID ® 11R Die Heads and 12R Dies / HSS in Stock Shipping Weight: 56 .lbs

#### Weight and Dimensions:

- Weight: 18 Lbs (Power Drive only)
- 56 Lbs Total Shipping Weight
- Hardened Plastic Molded Case measures 35" x 16" x 6"
- RIDGID® is a trademark of Ridgid, Inc or Ridge Tool Company and is used for product identification purposes only.

#### 1/2.2" PIPE THREADER

\$3**98.0**0

#CFT31061TDS

A Powerful Hand Held Powerdrive designed for Threading 1/2" - 2" pipe and is Ideal for On Site Gas Pipe Applications. It is equipped with 11-R Die Heads and Alloy Dies that fit RIDGID ® 11-R Pipe Threaders. Also included is a 601 Support Arm and Durable Carrying Case to keep your tools organized. Save a Ton of Money as similar Kits sell for over \$1500.

- Motor: Professional 1350W Universal Reversible 115V 60Hz 14.8 amps
- Switch: Heavy Duty Paddle Type Switch with Separate Forward and Reverse Switches
- Heavy Duty Forged Aluminum Gear Housing for Long Life.
- Industrial Strength Gearbox with Reverse
- Premium Adapter with Locking Nut "-1-1/4" Pipe
- Body and Handle: Durable Heavy Duty Fiberglass Reinforced Plastic
- Spindle Speed: 32 RPM
- Capacity: 1/2" 2'
- Die Heads and Dies Included: 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" (Fits RIDGID ® Type 11R)
- Dies work with RIDGID ® 11-R and 12-R Dies



Automatic Oiler / HSS Dies In Stock / Cart Available Shipping Weight: 125 .lbs UPS one box

The machine weights 96 lbs. Shipping weight is 140 lbs.

18" x 14" x 12"

### 1/4" - 1-1/2" PIPE THREADER

#CFT0986TDS

A Low Cost Industrial Quality Pipe Threading Machine used for Threading, Cutting, and Reaming Water, Electric, and Gas Pipes ranging from 1/4" - 1-1/2" Inches NPT. This portable and compact, high-performance threading machine has a self-opening die head and a through die head oiling system. It is completely equipped and ready to cut, thread, and ream pipe up to 1-1/2" inches in diameter.

- Range of work is 1/4" inch to 1-1/2 " inch NPT (National Pipe Thread)
  Built in oiling system produces reliable high quality threads. Oil is pumped with a gear driven
- pump and automatically recirculated through the system.

   Heavy Duty 60 HZ 110/120 V, single phase 1100W series motor with 1 year Warranty.
- Industrial strength 1/4 1-1/2 " inch pipe cutter
- Alloy Steel Dies are made of with Rockwell Hardness of 58-62 HRC for long life.
   Maximum Chuck Capacity is 2 inches or 51mm
- Pentangular 5 Blade Conical Reamer
- Maximum amperage under load is 18.5 amps
  40 Turns per minute for high quality threads

#### Includes:

- Universal Die Head
- 1/4"-3/8" Dies 1/2"-3/4" Dies
- 1"-1-1/2" Dies
- Industrial Strength Pipe Cutter
  1 Container of Threading Oil

 Tool Kit including Wrenchs and Oil Can
 This Item usually Ships UPS Ground. RIDGID® is a trademark of Ridgid, Inc or Ridge Tool Company and is used for product identification purposes only.

## Reverse Motor / 811 A Die Head / fits RIDGID ® HSS Dies Shipping Weight: 190 .lbs

### 2" PIPE THREADER fits RIDGID® Dies

#CFTE0907TDS

This portable and compact, high-performance threading machine has an 811A Universal self-opening die head and a through die head oiling system. It is Completely equipped and ready to cut, thread, and ream pipe up to 2 inches in diameter.

- Our Pipe Threading Machine includes High Speed Steel Dies.
- 750 watt 27 rpm forward/reverse induction motor
- Our machining and quality specifications are comparable RIDGID®s.
- Our machine has a CE / UL Approval. No need to worry about testing as the government has testified that this machine exceeds all CE and ULrequirements.
  • Fits RIDGID ® 811a Die Head and Dies

The machine without the stand measures 24"x24"x18" and weighs 190 lbs. Yellow Powder Coated Paint provides a great looking machine for years to come

#### Includes

- 1/2"-2" 811A Universal Die Head
  1 set of NPT High Speed Steel Dies (1/2-3/4 inch) and (1-2 inch)
- Industrial Strength Pipe Cutter
- 1 Gallon of Threading Oil
- Wrench's and Oil can

RIDGID® is a trademark of Ridgid, Inc or Ridge Tool Company and is used for product identification purposes only

- Range of work is 1/2" inch to 2" inch NPT (National Pipe Thread)
- Automatic Oiling System produces reliable high quality threads.
   Oil is pumped with a gear driven pump and automatically recircu lated through the system.
  • Heavy Duty 60 HZ 110/120 V, single phase 750W series motor
- with 1 year warranty.

  Industrial strength 0-2" inch pipe cutter

- Industrial steright 0-2 into hipe date.
   I/2" 2" inch die head works with RIDGID ® Dies
   Dies are made of High Speed Steel with Rockwell Hardness of 58-62 HRC for long life.
- Maximum Chuck Capacity is 2-1/2 inches
- Pentangular 5 Blade Conical ReamerMaximum amperage under load is 18.5 amps
- 27 Turns per minute for high quality threads



Fits RIDGID® Dies Foot Pedal / Cart / 811A Die Head / HSS Dies / Reverse Shipping Weight: 195 .lbs

#### 1/2"-2" POWER PIPE THREADER

#CFTORP0907TDS

This portable and compact, high-performance threading machine has an 811a self-opening die head and a through die head oiling system. It is Completely equipped and ready to cut, thread, and ream pipe up to 2 inches in diameter.

- High Speed Steel Dies that are Interchangable with Ridgid® Die Heads and Dies
- 750 watt 27 rpm forward/reverse induction motor
- Heavy Duty Foot Pedal. Free your hands up and work smarter with this removable foot petal
- Foldable Steel Cart with Wheels. Easily move your machine around a job site, factory, truck, and shop. this cart easily folds up and down
- . Fits Ridgid® 811a Die Head and Dies

#### Includes:

- 1/2"-2" Universal 811a Die Head interchangable with Ridgid®
- 1 set of 1/2"-3/4" High Speed NPT Steel Dies
- 1 set of 1"-2" High Speed NPT Steel Dies
- Heavy Duty Removable Foot Petal · Industrial Strength Pipe Cutter
- · Heavy Duty Portable Cart Stand with 10" Wheels
- 1 Gallon of Threading Oil
- Wrench's and Oil can
- RIDGID® is a trademark of Ridgid. Inc or Ridge Tool Com pany and is used for product identification purposes only

#### Features:

- Range of work is 1/2" inch to 2" inch NPT (National Pipe Thread)
- Automatic Oiling System produces reliable high quality threads. Oil is pumped with a gear driven pump and automatically recirculated through the system.
- Heavy Duty 60 HZ 110/120 V, single phase 750W series motor with forward and reverse
- Industrial strength 0-2" inch pipe cutter
- 1/2" 2" inch die head
- Dies are made of High Speed Steel with Rockwell Hard ness of 58-62 HRC for long life.

  • Maximum Chuck Capacity is 2-1/2 inches

- Pentangular 5 Blade Conical Reamer
   Maximum amperage under load is 18.5 amps
- 27 Turns per minute for high quality threads

#### Size:

The machine without the stand measures 24"x24"x18" and weighs 190 lbs. Yellow Powder Coated Paint provides a great looking machine for years to come.

Foot Pedal / Reversable Motor / Auto Opening Die Heads Shipping Weight: 425 .lbs

#### 4" POWER PIPE THREADING MACHINE WITH REVERSE

#CFT0976TDS

This Industrial Quality Pipe Threading Machine is used for Threading, Cutting, and Reaming various sizes of Water, Electric, and Gas Pipes ranging from 1/2" - 4" Inches NPT. This machine is Comparable Quality to the Wheeler Rex 6790.

A Heavy Duty Steel Powder Coated Cart makes it easy to transport you machine around the shop, jobsite, or factory. The Solid Rubber Tires will not go flat like pneumatic tires and will last for decades.

The built in Oiling system is Geared to ensure long life to your dies and oiling system. Industrial Strength Removable Foot Petal allows the operator to easily control the RPM's of the Motor and makes it easier to move. Universal Alloy Steel Dies are included.

- 1/2" 4" Pipe Threading Machine w/ Reverse
  Heavy Duty Foot Petal with attached plug
- 1/2" 3/4" and 1"-2" Universal Die Head
- 2"-4" Universal Die Head
- (set of 4) Alloy Steel Pipe Dies \_"-3/4" NPT (14 threads/inch)
   (set of 4) Alloy Steel Pipe Dies 1"-2" NPT (11-1/2 threads/inch)
   (set of 4) Alloy Steel Pipe Dies 2-1/4"- 4" NPT (8 threads/inch)
- Heavy Duty Steel Cart with Solid Rubber Tires
  Heavy Duty 0-4" inch Pipe Cutter
  Heavy Duty Five Spade Conical Reamer

- Container of Threading Oil
- Tool Kit with Case including Wrenches, Oil Can, and Screwdriver
- Sturdy Wooden Shipping Crate Bolted to the Machine for delivery.

#### **Technical Specifications:**

- Range of Work: \_"-4" NPT
  Electric Motor: 2 Speed 60hz Heavy Duty 110 volt 750 Watt (w/ Reversible)
- Die Rockwell Hardness (HRC) 58-62
- Maximum Rotation Speed: 24 RPM
- Maximum Chuck Capacity: 4.925 inches or 125mm
  Sledge Travel: 7 inches or 180 mm
- Dimensions: 36" (L) x 22" (H) x 17" (D)
- Weight: 425 lbs or 193 KG

RIDGID® is a trademark of Ridgid, Inc or Ridge Tool Company and is used for product identification purposes only

Chicago Pneumatic

### Air Compressors Call for Pricing...



#### Two Stage Electric Air Compressors 5 to 10 H.P.

- Solid Cast Iron Cylinder
- Start-Stop Pressure Switch Control
- Magnetic Starter
- Low Oil Level Switch
- Automatic Tank Drain
- Integrated Aftercooler
- ASME/CRN Tank and Safety Valves
- Fully Enclosed High Flow Belt Guard
- -5 to 10 HP delivering 15.33 to 37.23 ACFM @ 100 psi
- All RCP Two Stage compressors come with a full 2 Year Warranty (including valves).



#### Two Stage Gas Driven Compressors 9 TO 13 HP

- 12V Electric & Recoil Start
- Start Key/Panel
- Solid Cast Iron Cylinder
- Pull Type Tank Drain
- Engine Slowdown (Pilot Valve)
- Fully Enclosed Belt Guard
- ASME/CRN Tank and Safety Valves
- Oil Monitor
- Cold Start Valve
- Precision engineered in a rugged package; complete with receiver tank, electric and recoil start and an operating pressure up to 175 psi, the RCP will get the job done. RCP Two Stage compressors come with a full 2 Year Warranty (including valves).



#### HYDRAULIC PRESSES

#### **New 12 Ton Hydraulic** Floor Shop Press

with Press Plates

Install Bearings, Bushings and Seals / 1 Yr Warranty

Easily install bearings, seals, bushings and pulleys. Straighten axles, shafts and rods with our open front and back frame design.

• 12 Ton Hydraulic Floor Standing Shop Press • Floor Standing Open Front and Rear Design • 12 Ton Ram or 24000 LBS • Spring Loaded Retracting Ram Carriage
• 3" – 30" Adjustable Press Table • 17" Working Width between uprights • (2) 6" x 3.5" x 7/8" Steel Press Plates with triangular recesses • Measures 53" x 21" x 22" and weights 92 Lbs • This Item usually Ships UPS.

\$169<sup>95</sup> #CFT12120DL (92)



#### **USA MADE**


#### 25 & 40 Ton Hydraulic Press

2 Speed Pump & Ram and Floating Head

Spec: Height 66", width 32", width inside 24", bed width (I.D.) 7", stroke 6", 1 year warranty.

25 Ton #25HP (295)

40 Ton #40HP (430)



#### 50 Ton **Hydraulic Press**

With FREE Gauge & Bed Crank \$210.00 VALUE

7 " stroke, overall height - 73", inside leg width - 34", guaranteed for one full year, includes work plate & punch,

Manual #50HP 610] 2 Speed pump and ram


195

100 Ton #100HPA 1295] Air over hydraulic unit

Optional Bearing Puller

000000000000

0000000000



#### 50 Ton Electric **Hydraulic Shop Press**

with Cable Winch

Easily install bearings, seals, bushings and pulleys.

Easily install bearings, seals, bushings and pulleys. Straighten axles, shafts and rods with our open front and back frame design.

• 50 Ton Electric Pump Hydraulic Floor Standing Shop Press • Floor Standing Open Front and Rear Design • 50 Ton Ram or 100,000 LBS • 110v Electric Pump • 3.5" - 39" Adjustable Press Table • 28" Working Width between uprights • (2) Steel Press Plates • Measures 73.5" x 56.25" x 33.5' and weights 546 Lbs

#CFT2051DL (546)



**COMPARE TO** 

**UNITS COSTING** \$6,000 TO \$10,000

### HOISTS & PULLERS

Industrial Lever Chain Puller/Hoist - 5ft Lift

3/4 Ton #AG605 [17] 5ft Lift	\$199.00 \$228.00
1-1/2 Ton #AG615 [28] 5ft Lift	\$239.00 \$279.00
3 Ton #AG635 [51] 5ft Lift	\$359.00 \$398.00

#### Chain Blocks/Hoists

Custom Chain Lengths Available, INQUIRE!

• Triple geared chain block hoist • 10 feet of lift • Extra chain lengths available on request

\$109.00
\$119.00
\$169.00
\$179.00
\$209.00
\$298.00





#### **Double Duty Com-A-Longs**

DUAL SOLID GEARS and PAWL • Automatic Notch-ata-Time letdown Thumb control release • Spring loaded release lever for unwinding cable • One piece heavy frame construction • Steel ratchet handle with padded no slip grip

2 Ton #MT5542 (10) Two 3/8 safety catch hooks, 12 ft of 3/16 diameter aircraft cable

4 Ton #MT5547 (14) Three 15/16 safety catch hooks, 12 ft of 1/2 diameter aircraft cable

#### OIL & GREASE UNITS **NATIONAL-SPENCER** Air Operated Single Action 3:1 Oil Pump For dispensing medium to high viscosity oil and antifreeze from both fixed and mobile installations. - 3:1 ratio Includes bung adapter Delivery rate 3.7 gpm Foot valve and screen included - Tube length 37" - Air filter with drain included - 1/2" x 48" oil hose included - 1/4" x 48" air hose included Foot valve included Needle valve included Quick couplers includedMaximum pressure 116 psi - Maximum viscosity 130 SAE

1 1/2" diameter suction tube

#NS1702R (21)

### **NATIONAL-SPENCER** Pneumatic Grease Systems Complete system with all parts shown for pumping grease fits 120 lb. drum

• Pump tube is 1.18" diameter and 29.13" long • Pump head #1213R is 3.15" diameter and 13" long • Pump head #1220R 2 1/2 " diameter and 10.25" long • 1/4" x 6' high pressure grease hose included • Free flow rate #1213R 66 oz. per minute • Free flow rate #1220R 52 oz per minute • 1/4" x 48" air hose • Air filter with drain • Needle valve • Air Male and Female Quick Connects

Grease up to NLG1#2 \$54900 #NS1220R **55:1 Ratio**Grease up to NLG1#2 **\$599**00
#NS1213A

Grease up to NLG1#3 \$65900 #NS1213R









Available Late

December 2011

#### 33-1/2 x 22 x 14 Sandblast Cabinet

- 35 " Large Floor Standing Sandblast Cabinet
- Blast Rust / Remove Paint and Grime / Etch Glass

#CFT3672RH

#### Includes:

• Measures 55"(H) x 35"(W) x 24"(D) • 12" inch floursent light with exterior power switch for easily viewing what you are cleaning . Side load door allows loading large items easy • Glass viewing window with 3 free replacement films so your glass is undamaged during use. • 40lb bottom feed hopper has a drain door for easily replacing media. • 33"x22"x14" inside working area allows for large items to be cleaned. • Thick rubber gloves mounted to the cabinet for easily handling parts. • This cabinet includes 4 different sized tips for precision cleaning. The cabinet and gun are capable of using steel shot, silica sand, corn cob, walnut shells, Black Beauty, crushed glass, and glass beads... We strongly suggest using Black Beauty as your Cleaning Media for steel, paint removal and rust removable • 1-2 Hours Assembly Time



85-100 lb

Abrasive Blaster Includes type 1 large nozzle,

**USA MADE** 

- 10" dia. x 25" h tank on 8" wheels
- Overall ht. 33"
- Includes 70000 squeezer valve, water separator, 10' long 1/2" ID abrasive hose, 2 ceramic nozzles, lightweight hood for face & eye protection
- · Has inverted top for easy filling
- 3 semi-automatic pull-up closure
- Air inlet valve
- Choke valve

#### 48" x 24" x 24" Sandblast Cabinet

- 3 Large Doors to Easily Load and Unload Parts
- . Shipping Weight: 325 .lbs

Sandblast Cabinet with 48" x 24" x 24" inside working dimensions is a must have tool for any Serious Shop. Easily Strip paint from Wheels, Clean Rust from Bicycle Frames, Restore Fenders and Body Panels, etc... The Premium Built In Dust Collection Systems creates a DUST FREE environment for cleaning parts. Simply Connect your 5 CFM or larger Air Compressor and add Blasting Media.

• Premium 14 gauge powder coated steel frame • 2 side doors and 1 top door for easy loading and unloading • Premium Steel and Brass constructed Foot Pedal controls the Spray Gun with Ergonomic Grip • The Gravity Feed System that Continually Recycles a variety of different media's like Black Beauty, Glass Beads, Steel Shot, Silica Sand, etc. • High Volume Dust Collector eliminates dust so you can see what you are cleaning. • Powder coated Red Cabinet will look great for years to come. • Overhead florescent lighting (2 bulbs) • Extra Large Premium "Grip" Rubber Gloves to Easily Handle PArts. • Easy Assembly simply bolt on the legs. • Silicone sealed panels from factory to avoid air leaks . Convenient access to filter to access reusable filter



#### Includes:

- 2 Premium Rubber Gloves
- Air Powered Media Spray Gun
- 4 Ceramic tips included
- 5 replacement films for front glass
- 5 replacement films for light glass

#### Specificiations:

- Built Dimensions: 65" H x 52" W x 38" D
- Interior Working Area: 48" x 24" x 24"
- Hinged door Opening: 46" W x 13.75" T

#### **Hydraulic Body & Frame Repair Equipment**



#### **Hydraulic Body & Frame** Repair Kit

4 Ton kit with molded case #AFP814A	[49] \$209.95
10 Ton kit with molded case	
#AFP815	166/181 \$329.95



#### 4 Ton Mini Ram

5/8' Stroke • 1" to 2-1/4" #AFR80410 .....[4] \$68.00



#### 10 Ton Pulling Ram

Works independent of porta powers • Primary pull unit for tight quarters • Make a secondary pull off any pulling post or floor pot . Great for down pulls & low pulls • Compressed length 12" • Extended length 17"

#AFR80409 .....[16] \$119.00



#### **Porto Power Kit**


Snap on design • Automatic pump overload system • Custom fit molded storage case (10 ton unit on wheels) • 1/2 ton capacity hydraulic spreader features 2" jaws and spreads from 5/8" to 3/4"

4 Ton Porto Power Kit #3BB65114	[46] <b>\$229.00</b>
10 Ton Porto Power Kit #3BB65115	

4 Ton Ram		19-
5' Stroke • 11" to 16" #AFR81441	[4]	\$59.95

2 Ton Ram 3" Stroke • 4-3/4 to 9-1/2" screw extension





#AFP81440(T).....\$98.00

Stinger Air Hydraulic Foot Pump 10,000 Psi

 Internal relief valve protects the hydraulic components regardless of hydraulic pressure. • Two-stage release mechanism gives fast or metered ram return while reducing hydraulic shock. • Pump, hold or release load with foot lever control. • Reservoir capacity is 105 cu. in. (98 cu. in. usable).

#OT2510A .... [25] \$289.00

#### 10 Ton Rams

2 Stroke, 4-1/2 to 7" with screw extensions



#### **Hydraulic** Wedge Ram

Used with 4 or 10 ton hydraulic units, 1/2 ton capacity (T/C)



#AF80411 .....[4] \$98.00

#### Air Hydraulic Pump

Converts 4 ton and 10 ton body/frame rams to air hydraulic operation and eliminates manual pumping.



#AF801 .....[12] \$279.00

#### 300 Lb Motorcycle/ Dirt Bike Jack / Stand

#### 360° 3 inch rubber locking wheels

This 300 LB Hydraulic Scissor Motorcycle Lift is Ideal for MX Dirt Bikes and Small Motorcycles and smaller ATV's. Lift your machine up to an Ideal working height so you can Enjoy Tinkering. Easily Move your machine and Protect your Floor with these 3" rubber locking wheels. Protect Paint on your frame with this large 14" x 16" Rubber base plate.

• Max Height: 36" • Min Height: 13" • 16"x14" Base Plate with Rubber Pad protects your machine • Rubber 3" 360 degree swivel wheels w/ 2- Lock Wheels • Quick Pump Foot Pump Jack with Rubber Pad • Large Oil Drain Hole in base plate to easily change oil • Red Powder Coated Finish will look great for Years to come • Safety Pin • 135 kg or 300lb Max Weight • Includes all hardware to mount bike to stand securely Large On/Off knob

#CFT4032DL (67)





Set of 4 1500 lb. 12" Wide \$\frac{\psi}{2}\$ Hydraulic Car Wheel Dolly Jack Lift

#CFT41212DL-4 (164)

• Powder coated red finish • 6" Clearance Height • Capacity: 1500 .lbs per Dolly • 1/2" Steel Fram • 4" Swivel Wheels • Maximum Width: 22" • Minimum Width: 12" (When Closed) • Foot Print: 25" x 17" x 9" • Weight: 41 lbs each • 1 Year Full Warranty

1500 lb. 12" Wide Hydraulic Car Wheel Dolly Jack Lift 🗲 #CFT41212DL

#### TRANSMISSION JACKS



#### 1000 LB 2 Stage **Hydraulic Transmission** Jack

• Max Height 72" • Min Height 34" • 2- 28" Chains • 31"x25" Base • Foot Pump • Red and Black Heavy Duty Powder Coat Finish . Multi Angle Adjustment • Easy Assembly • Steel 3" 360° swivel Wheels • Includes all Hardware to secure a transmission . FULL 1 YEAR WARRANTY

#CFT4501DL (145)



1100 lb. CAPACITY



American Forge & Foundry

#### Transmission Jack

Low ht 5-3/4" • High ht 31-1/2" • Saddle tilt... front 65°, back and sides 12° • Head dimensions: width minimum 7" / Maximum 13", length minimum 16" / maximum 11" • Designed for low areas Automatic safety overload
 Swivel



#### 1000 lb Two Stage **Transmission Jack**

• Car, van, and light truck transmissions, front wheel drive transaxles and air cooled VW engines • Slow release valve slows down rate of descent • Foot operated pump • Wide base with 3" swivel casters • Low ht 35.5", High ht 79.5", saddle tilt forward 53°, backward 30° side to side 10 to 30° • Size 35" x 31.25"

#SX7793B (170)



2000 lb. CAPACITY



American Forge & Foundry

#### Truck Transmission Jack

#### For Light Trucks & Differentials

2200 lb. capacity • Head dimensions: width 7" to 16", length 9" to 14" • Height: Low 5-3/4", High 31-1/2" • Width 18-1/2" • Length 37-1/2" • Saddle tilt: front 65°, back 10°, side 12° • Includes: swivel casters, adjustable universal saddle and adjustable corner brackets • 180 lbs.

#AF3172 (205)



#### 1000 LB 2 Stage AIR **Hydraulic Transmission** Jack

Max Height 69.75" • Min Height 33"2- 28" Chains • 29"x 24" Base • Manual Foot Pump • Air Attachment to Easily Raise • 2 CFM @ 60 PSI (minimum) required for use • Foot Quick Release to Lower • Red and Black Heavy Duty Powder Coat Finish • Multi Angle Adjustment • Easy Assembly • Steel 2.75" 360 Degree swivel Wheels · Includes all Hardware to secure a transmission

#CFT5501DL (177)



4400 lb. CAPACITY EXCEEDS FEDERAL SPECIFICATIONS



American Forge & Foundry

#### Truck Transmission Jack

For Diesels, Busses and Larger Trucks

• Low height 8-1/2" • High height 34" • Length 43" • Width 26" • Saddle tilts 30° forward • 15° backward • 15° side to side • Handle rotates 360° • Safety chain and side tray for tools and parts included.

#AF3180 (392)





American Forge & Foundry

#### **Professional** 2 Stage Telescoping **Transmission Jack**

**EXCEEDS FEDERAL SPECIFICATIONS** 

Designed for larger trucks and off road vehicles such as vans, bread trucks, beer trucks, ect. (not for semi- trucks) fully adjustable saddle - tilts forward 30 degrees, back 15 degrees, 12 degrees side tilt, foot pump, low height 33-1/2", high height 72-1/2", 1 year warranty

\$698<sup>00</sup>

#AF2195A (310)



American Forge & Foundry

#### "Clutch Hound" Jack

 Makes clutch and flywheel removal easy. • 500 lb capacity • Includes two separate splined alignment shafts 1-3/4" dia. with 1" and .983 pilot, turns 360° and pivots side to side • Lifts from 13 to39" • Optional adapters for : removal / installation of flywheels, driveshafts, starters, auxiliary cases, differentials, brake drums and camelback springs.

#AF3700 (150)

Shop Crane Collapsible for easy storage Spaces / Saves Room Shipping Weight: 170 .lbs #CFT2103DL (125/45)

2 Ton Collapsible

- Foldable Legs fit Tightly in Small

• (6) Fully Rotating 3" Steel Caster Wheels Easily allow you to move this hoist in any direction for increased maneuvering • Folded Dimensions: 58" x 37" x 22" so you can Store it in the corner and save space

• Working Dimensions: 65" x 41" x 37" • Boom Range: Floor − 102" • 3" x 3" Square Tube Legs (.125" Thick Steel) • 4000 LB closed boom capacity and (48" inches maximum height) • 1000 lb extended boom capacity and (102" inches maximum height) • 8 Ton Hydraulic Ram • 12" Forged Steel Chain and 5/16" Hook • Packaged in 2 boxes and normally shipped via UPS • Full 1 Year Warranty • Ships UPS



CRANES

2 Ton Air Collapsible **Shop Crane** 

- Collapsible for easy storage Raise and Lower with Air Power or Hydraulic Hand Pump
- Shipping Weight: 172 .lbs

#CFT1001DL (71/55/41)

· Easily use the hand pump or use air power and push a button to lift up to 4000 lbs • (6) Fully Rotating 3" Steel Caster Wheels Easily allow you to move this hoist in any direction for increased maneuvering

• Folded Dimensions: 58" x 37" x 22" so you can Store it in the corner and save space • Working Dimensions: 65" x 41" x 37" • Boom Range: Floor − 102" • 3" x 3" Square Tube Legs (.125" Thick Steel) • Vertical Mast: Premium Steel (.3125" or 5/16") Thick • 4000 LB closed boom capacity and (48" inches maximum height) • 1000 lb extended boom capacity and (102" inches maximum height) • 8 Ton Hydraulic Ram • 12" Forged Steel Chain and 5/16" Hook • Packaged in 2 boxes and normally shipped via UPS • Full 1 Year Warranty



#### 2 Ton Crane

leg extensions • Roller bearing swivel casters with safety brakes • Boom minimum height 38" • Boom max height 88"

3 Ton (6000 LB) Shop Crane

#CFT3103DL (220)

The extended boom reaches 87" high from the bottom of the chain to the floor, and holds 2000 lbs at this height.

30" (W) x 57" (L) x 65" (H) in collapsed position • 32" width outside left leg to outside right leg • 12 Ton Ram • Capacity: 97" (H) at 2000 lbs and 90" (H) at 6000 lbs • Frame made from .145" Thick High Grade Premium Steel • Boom extension made from .100" Thick High Grade Premium Steel • 3/8" Forged Steel Hook • 12" Forged Steel Chain • Front Legs extend 32" totaling 90" legs • Boom made from 6" x 3-1/2" Premium Steel • Easy Control Lever on 12 Ton ram






#### **Hydraulic** Long Rams

Low ht. 24-1/4", high ht. 45", 1 year warranty. All Rams come with round bases.

3 TON #AFLRC3B (31)

8 TON \$10900 #AFLRC8B (42)





**Jack Stands** 



American Forge & Foundry

#### Jack Stands

Low height 15-3/4", high height 24-3/4", 

Low height 18-1/4", high height 28", base 11-5/8" x 13", saddle size 1 - 3/4" x 5-1/2", weight 82 lbs. #AF3312B PER PAIR......[70] \$149.00



American Forge & Foundry

#### 10 Ton Low Profile Garage Stand

Low height 18-1/2", high height 30", base 17" x 17", pin type support column.

#AF3309A .....[37] \$119.00

**Brake Drum Handler** 



Compare with units costing \$400.00



American Forge & Foundry

#### Brake Drum Handler

- Designed for installing, removing and transporting brake drums • Fits 15" to 16-1/2" brake drums • Rotating handle for easy lowering and raising of drum • Adjustable brackets secure both outboard and
- inboard mounting drums with disc wheel hubs to brake drum handler • Removable handle, 8" wheels, low lift 10-1/2" high lift 15-1/2", length 63", width 21"

#AF3595A .....[58] \$319.00



American Forge & Foundry

#### 4000 lb. Under Hoist Tripod Stand

Lot height 55", high height 85.5", all steel construction, adjustable screw makes load positioning easy, used for exhaust, suspension, and other under hoist work.

#AF3315A ......[55] \$109.00



American Forge & Foundry

#### 20 Ton Jack Stand

• Pin type post with 4 height adjustments • Lifts from 12 to 20" • Large 3 x 3-7/8 saddle • Stable 10 x 10 steel base . Carrying handle . Sold individually

#AF3314 .....[42] \$159.00



American Forge & Foundry

#### 10 Ton Garage Stand

Low height 28", high height 47", 2" adjustments, saddle 3" x 5", base 16" x 16", pin type support column adjusts to 10 different heights, base is heavy duty 2" diameter pipe, saddle with locating lugs position and center load.

#AFGS3310A .... \$138.00



Air & Hand Operated Bottle Jacks

Factory Pretested to 150% of rated capacity





#### **Hand Jacks** With Carry Handle

- #AFHJ12A Low Ht 8 1/2 ", High Ht 17", Lift 5 3/4", Screw extension 2 3/4", Base 5 1/2 x 5 1/4" #AFHJ514A Low Ht 7 ", High Ht 13", Lift 4", Screw extension 2", Base 5 1/2 x 5 1/4"
- = #AFHJ20A Low Ht 9 5/8 ", High Ht 18 1/4", Lift 6 3/8", Screw extension 2 1/4", Base 6 3/4 x 6 1/4" = #AFHJ522A Low Ht 7 3/4 ", High Ht 14 1/4", Lift 4 1/4", Screw extension 2 1/4", Base 6 3/4 x 6 1/4" = #AFHJ522A Low Ht 7 3/4 ", High Ht 14 1/4", Lift 4 1/4", Screw extension 2 1/4", Base 6 3/4 x 6 1/4"
- #AFHJ30A Low Ht 11 ", High Ht 18 5/8", Lift 7 5/8", Screw extension N/A" , Base 7 x 7"

PART NO.	SIZE	WEIGHT	PRICE
#AF3506	6 TON	13lbs.	\$35.00
#AFHJ12A	12 TON	21lbs.	\$49.95
#AFHJ514A	12 TON	18lbs.	\$49.95
#AFHJ20A	20 TON	25lbs.	\$79.00
#AFHJ522A	20 TON	30lbs.	\$79.00
#AFHJ30A	30 TON	50lbs.	\$99.00
#AF3550	50 TON	73lbs.	\$258.00





American Forge & Foundry

#### Air Hydraulic Bottle Jacks

• Designed for horizontal or vertical use • Factory pretested to 150% of rated capacity • Bypass mechanism prevents internal damage from over pumping.

#### **12 TON**

• Low height 10" • Lift 7" • Screw 2-1/2" • High Height 19-1/2" • Base 8-1/4 x 5" 26 lbs. #AF5512B .....\$189.00

#### **20 TON**

• Low height 10-1/4" • Lift 6-1/4" • Screw 2-1/2" • High Height 20" • Base 9-1/4 x 6" 35 lbs. **\$229.00**  **Miscellaneous** 



#### **Branick** 4 & 5 Bar Tire Cages

#### 4 Bar

- Handles tires up thru 12.00 24. (50" diameter)
- MAX TIRE PRĖSSURE 120 PSI
- · Inside Dimensions: Length: 27.75", Width: 21.75", Height: 50.00"
- Shipping weight 141 lbs

#Bi2240 .....\$395.00

#### 5 Bar

- Handles tires up thru 12.00 24. (50" diameter) MAX TIRE PRESSURE 120 PSI
- Inside Dimensions: Length: 36.00", Width: 21.75", Height: 50.00"
- Shipping weight 167 lbs

#Bi2250 ..... \$498.00

#### Cheetah **Bead Seater**

5 gallon steel tank • Designed for commercial use on all tires ATV to 24.5 Truck tires. • 18" wide x 27" long x 11" high

#TSICH5 .....[28] \$249.00 #TSICH5AL .Aluminum Model....[28] \$298.00









www.toolsunlimited.com 1-800-537-1993

PREFERRED CUSTOMER EDITION CODE B ROUTE TO TOOL BUYER P.O. BOX 5757, TOLEDO, OH 43613-0757

PRESORTED STANDARD U.S. POSTAGE PAID DELPHOS, OHIO PERMIT #21











